

GUIDO SABATINELLI

CATALOGUE OF THE SCARABAEOIDEA MELOLONTHIDAE FROM
HIMALAYA AND NORTH INDIA: MACRODACTYLINI, HOPLIINI,
DIPLOTAXINI, MELOLONTHINI AND SERICINI

(Coleoptera)

Recent entomological explorations of Himalaya provided new material for Scientific Institutions and private collectors. To study this material it is necessary to review the available entomological data on this region.

Between 1892 and 1920, BRENSKE and MOSER described 50% of presently known Scarabaeoidea Melolonthinae species from Himalaya and Northern India. From 1919 to 1948, 20 species were described by ARROW. Between 1962 and 1975, working on the material provided by the Natural History Museum of Basel, FREY described 50 new species of Sericini and Melolonthini. Recently, Indian and Italian entomologists contributed to the knowledge of Melolonthinae species of this region describing 29 new species.

By the end of 1990, 357 valid species belonging to 48 genera of Melolonthidae from Himalaya and North India were described.

Among these species, only 53% were already listed by DALLA TORRE (1912-13). For a faunistic and systematic organization of this group it is necessary to prepare a catalogue including all known species, with their valid generic status and area of distribution.

In this catalogue species described from Nepal, Sikkim, Darjeeling and Buthan are taken into account. The catalogue comprises also the species from North India including the States of Jammu and Kashmir, Himachal Pradesh, Punjab, Haryana, Delhi, Uttar Pradesh, Bihar, West Bengal, Bangladesh, Meghalaya, Assam, Nagaland and Manipur (Fig. 1). At the end of the catalogue we listed the species for which old authors indicated only generically the collecting areas: India and Tibet. German notations "Ost-India" "Vorder-India" and the French notation "Inde or." has been assimilated to India.

For each species type-locality as well as records for West Himalaya and North India were indicated with their literature source. Each record is followed by a number in brackets that corresponds to the bibliographic reference. The figure number and the bibliographic reference is also reported for species whose aedoeagus has been drawn.

Neither systematic problems of synonymy between the genera nor the re-attribution of species previously described in different genera have been considered. This paper gives a general picture of the present systematic and geonemic situation as a check list useful to both professional researchers and amateurs who wish to contribute to the study of Himalayan Melolonthidae.

It is necessary to revise systematically most of the genera, taking into account all described species, searching for types scattered in the Museums and, when necessary, designating the lectotypes. Actually only 26% of species are known by a modern description, including the illustration of the aedoeagus. At present, the identification of Melolon-




Fig. 1 Political and administrative geography of Himalaya and North India.

tidae collected in this region appears very difficult making almost impossible to define the distribution areas of the different species.

A bibliographic list of all papers concerning Himalayan and North Indian Scarabaeoidea and Melolonthidae published since 1900 is provided.

A data base management system on a personal computer was used to organize the data. Using this method a second part concerning other Melolonthidae groups is being prepared.

MACRODACTYLINI

Dichelomorpha assamensis Arrow

1920 — *Ann.Mag.nat.Hist.*, (9) 6: 444

Type-locality: Bangladesh: Sylhet, Chankhira

Diphycerus alcedo Arrow

1920 — *Ann.Mag.nat.Hist.*, (9) 6: 452

Type-locality: Darjeeling: Kalimpong, Peshoke

Xenoceraspis dispar Arrow

1920 — *Ann.Mag.nat.Hist.*, (9) 6: 454

Type-locality: Sikkim: Gopaldhara, Rungbong valley

Xenoceraspis kurseongana (Moser)

1917 — *Stett.Ent.Z.*, 78: 96 (*Dichelomorpha*)

Type-locality: Darjeeling: Kurseong

HOPLINI

Ectinoboplia affinis Arrow1921 — *Proc.Zool.Soc.*, 19: 273.

Type-locality: Meghalaya: Khasi Hills; Yunnan.

Ectinoboplia crysura Reitter1902 (1903) — *Verh.Nat.Ver.Brunn*, 61: 109.

Type-locality and Records: Meghalaya: Khasi Hills [1]

References: [1] REITTER, 1902 (1903) — *Verh.Nat.Ver.Brunn*, 61: 109 : 109 (*E.crysura* v. *diabolica* Reitter 1902)*Ectinoboplia indica* Moser1912 — *Deutsche Ent.Zeitschr.*: 305

Type-locality: India (Himalaya)

Ectinoboplia mus Nonfried1895 — *Berl.Ent.Zeitschr.*, 40: 281

Type-locality: South Himalaya

Ectinoboplia nitidiventris Arrow1921 — *Proc.Zool.Soc.*, 19: 274 (in color fig.6)

Type-locality: Meghalaya: Khasi Hills, Shillong, Gaubati

Ectinoboplia sinuaticollis Moser1912 — *Deutsche Ent.Zeitschr.*: 305

Type-locality: Assam

Ectinoboplia tibialis Arrow1921 — *Proc.Zool.Soc.*, 19: 271 (in color fig.8)

Type-locality: Assam

Himalboplia furcata Sabatinelli1983 — *Entomologica Basiliensia*, 8: 205

Type-locality: Nepal: Arunthan-Chichila

Aedoeagus: fig. 24 in description.

Hoplia advena Brenske1894 — *Mém.Soc.Ent.Belg.*, 2: 35

Type-locality and Records: Meghalaya: Shillong [1]

References: [1] BARLOW, 1899 - *Indian Mus.Notes*, 4: 238*Hoplia albomaculata* Moser1912 — *Deutsche Ent.Zeitschr.*: 312

Type-locality: Assam (lectotype).

Records: Meghalaya: Khasi Hills [1] ; Assam [2]

References: [1] TESAR, 1971 - *Acta.Mus.Sil.Sc.Nat.*, 20: 169; [2] - SABATINELLI, 1983 - *Entomologica Basiliensia*, 8: 194*Hoplia argenteola* Sabatinelli1983 — *Entomologica Basiliensia*, 8: 196

Type-locality: Darjeeling: Lopchu (holotypus); Sikkim: Rangeli river

Aedoeagus: fig. 17 in description.

Hoplia bisignata Gyllenhal1817 — in SCHOEN., *Syn.Ins.*, 1: 162

Type-locality and Records: Nepal (lectotype) [1]

References: [1] SABATINELLI, 1983 - *Entomologica Basiliensia*, 8: 202*Hoplia brevis* Nonfried1895 — *Berl.Ent.Zeitschr.*, 40: 282

Type-locality and Records: Raliang, Himalaya [1]

References: [1] TESAR, 1971 - *Acta.Mus.Sil.Sc.Nat.*, 20: 173*Hoplia clotildae* Sabatinelli1983 — *Entomologica Basiliensia*, 8: 184

Type-locality: Nepal: Hong Gaon-Hatiya

Aedoeagus: fig. 8 in description

Hoplia coeruleosignata Moser1916 — *Deutsche Ent.Zeitschr.*: 187

Type-locality: Tamil Nadu: Madura.

Records: Nepal Janakpur: Jiri and Those [1] [2]; Jammu & Kashmir: Gulmara-Tanmarg [3]; Nepal Janakpur: Jiri [3]; Nepal: Phulkochi [3]; Nepal: Lamobagar [3]; Nepal: Chichila-Mure [3]; Nepal: Mure Num [3]; Nepal: Kharikola [3]; Darjeeling: Jhepi [3]; Darjeeling: Bijambari [3]; Sikkim: Rangeli river [3]; Bhutan: 87 Km from Phuntsholing [3]; Bhutan: Sampa-Kotoka [3]

Aedoeagus: figs. 11 and 12 [3]

References: [1] TESAR, 1969 — *Acta Mus.Sil.Sc.Nat.*, 18: 57 (*H.schereri* Tesar); [2] SABATINELLI & MIGLIACIO, 1982 — *Boll.Soc.ent.ital.*, 114: 105; [3] SABATINELLI, 1983 — *Entomologica Basiliensia*, 8: 189*Hoplia coluzzii* Sabatinelli1983 — *Entomologica Basiliensia*, 8: 186

Type-locality: Bhutan: Dechhi Paka

Aedoeagus: fig. 7 in description.

Hoplia dombrowskii Nonfried1895 — *Berl.Ent.Zeitschr.*, 40: 284

Type-locality: South Himalaya

Hoplia flavomaculata Moser1912 — *Deutsche Ent.Zeitschr.*: 310

Type-locality: Assam.

Records: Meghalaya: Khasi Hills [1]; Meghalaya: Umtyngat, Cerrapunjee [2]

Aedoeagus: fig. 15 [2].

References: [1] TESAR, 1971- *Acta.Mus.Sil.Sc.Nat.*, 20: 167; [2] SABATINELLI, 1983 - *Entomologica Basiliensia*, 8: 193*Hoplia forsteri* Tesar1969 — *Acta Mus.Sil.Sc.Nat.*, 18: 56

Type-locality: Nepal Janakpur: Jiri

Hoplia freudei freudei Tesar1969 — *Acta Mus.Sil.Sc.Nat.*, 18: 54

Type-locality: Nepal: Khumbu, Khumdzung.

Records: Nepal: Thodung [1]; Nepal Bagmati: Jantang Ridge, N.E. Barabhise [2]; Nepal Bagmati: Tarke Ghyang [2]

Aedoeagus: fig. 1 [2].

References: [1] SABATINELLI & MIGLIACCIO, 1982 - *Boll.Soc.ent.ital.*, 114: 105; [2] SABATINELLI, 1983 - *Entomologica Basiliensia*, 8: 179

Hoplia freudei bhutanica Sabatinelli

1983 — *Entomologica Basiliensia*, 8: 180

Type-locality: Bhutan: Gogona; Bhutan: Tang-Rodungla; Bhutan: Sampa-Kotoka; Bhutan: Kotoka-Gogona; Bhutan: Dechhi Paka

Aedoeagus: fig. 2 in description.

Hoplia fulvipennis Moser

1912 — *Deutsche Ent.Zeitschr.*: 309

Type-locality and Records: Assam [1]

References: [1] SABATINELLI, 1983 - *Entomologica Basiliensia*, 8: 195

Hoplia fulvofemorata Moser

1912 — *Deutsche Ent.Zeitschr.*: 308

Type-locality: Darjeeling.

Records: Darjeeling [1]; Nepal: Lantang [1]

Aedoeagus: fig. 9 [1].

References: [1] SABATINELLI, 1983 — *Entomologica Basiliensia*, 8: 187

Hoplia grisea Moser

1912 — *Deutsche Ent.Zeitschr.*: 313

Type-locality: Darjeeling.

Records: H.P.: Lahul [1]; Nepal Janakpur: Jiri and Those [2] [3]; U.P.: Chaurengi [4]; Nepal: Pina lake, Rara [4]; Nepal Janakpur: Jiri-Thodung [4]; Nepal: Manigow [4]; Nepal: Namche Bazar [4]; Nepal: Chichila-Mure [4]; Nepal: Ting-San-La [2]; Darjeeling: Lopchu [4]

Aedoeagus: fig. 22 [4].

References: [1] MOSER, 1919 - *Stett.Ent.Z.*: 363 (*H.labulensis* Moser 1919); [2] TESAR, 1969 - *Acta.Mus.Sil.Sc.Nat.*, 13: 53; [3] SABATINELLI & MIGLIACCIO, 1982 - *Boll.Soc.ent.ital.*, 114: 105; [4] SABATINELLI, 1983 — *Entomologica Basiliensia*, 8: 202

Hoplia hirsuta Moser

1912 — *Deutsche Ent.Zeitschr.*: 314

Type-locality: Darjeeling (lectotype).

Records: Sikkim: Choka-Yoksam [1]; Sikkim: Pelling [1]; Sikkim: Reshi [1]; Sikkim: Rani Pull [1]; Bhutan: Bunthang [1]; Bhutan: Karsumphe [1]; Bhutan: Changra [1]; Bhutan: Paesseling [1]

Aedoeagus: fig. 16 [1].

References: [1] SABATINELLI, 1983 - *Entomologica Basiliensia*, 8: 194

Hoplia buettenbacheri (Nonfried)

1891 — *Deutsche Ent.Zeitschr.*: 258 (*Ectinohoplia*)

Type-locality: Himalaya bor.

Hoplia imitatrix Nonfried

1895 — *Berl.Ent.Zeitschr.*, 40: 285

Type-locality: South Himalaya

Hoplia indica Moser

1912 — *Deutsche Ent.Zeitschr.*: 310

Type-locality and Records: Darjeeling: Kurseong (lectotype) [1]

References: [1] SABATINELLI, 1983 - *Entomologica Basiliensia*, 8: 189

Hoplia laetitiae Sabatinelli

1983 — *Entomologica Basiliensia*, 8: 182

Type-locality: Bhutan: 20 Km South Thimphu

Aedoeagus: fig. 6 in description.

Hoplia lahulensis Moser

1919 — *Stett.Ent.Z.*, 80: 363

Type-locality: H.P.: Lahul

Hoplia mahayana Sabatinelli

1983 — *Entomologica Basiliensia*, 8: 200

Type-locality: Bhutan: Changra (holotype); Sikkim: Rangeli river

Aedoeagus: fig. 19 in description.

Hoplia nepalensis Tesar

1969 — *Acta Mus.Sil.Sc.Nat.*, 18: 59

Type-locality: Nepal: prov. 3 East, Jubing

Hoplia nigromaculata Moser

1912 — *Deutsche Ent.Zeitschr.*: 308

Type-locality: Darjeeling (lectotype).

Records: Nepal: Num-Chichila [2]; Nepal: Mure-Num [2]; Nepal: Hong Gaon [2]; Nepal: Hatiya-Lamobagar Gao [2]; Darjeeling [2]; Sikkim: Trokkenzeit [2]; Burma: Kambaiti [1]

Aedoeagus: figs. 4-5 [2].

References: [1] ARROW, 1946 — *Ark.Zool.*, 38: 32; [2] SABATINELLI, 1983 - *Entomologica Basiliensia*, 8: 183

Hoplia polita Bates

1891 — *Entomol.*, 24, suppl.: 14

Type-locality: H.P.: Kulu.

Records: Jammu & Kashmir: Liderwat, Lidar valley (neotypus) [1] [2]; Pakistan: Rawalpindi [1]; Pakistan: Rama [2]; Pakistan: Sonamarg [2]; Pakistan: Murree-Abbottabad [2]

Aedoeagus: fig. 3 [2].

References: [1] TESAR, 1971 - *Acta.Mus.Sil.Sc.Nat.*, 20: 162; [2] SABATINELLI, 1983 - *Entomologica Basiliensia*, 8: 181

Hoplia sabraechatillae Sabatinelli

1983 — *Entomologica Basiliensia*, 8: 192 (female)

Type-locality: Bhutan: Dorjula

Hoplia squamigera Hope

1831 — in GRAY'S, *Zool.Misc.*: 24

Type-locality: Nepal.

Records: Nepal [1]; Nepal Janakpur: Jiri via Those [2]

References: [1] TESAR, 1971 - *Acta.Mus.Sil.Sc.Nat.*, 20: 188; [2] SABATINELLI & MIGLIACCIO, 1982 — *Boll.Soc.ent.ital.*, 114: 105 (*Ectinoboplia squamigera* Hope, 1831)

Hoplia tenebrosa Nonfried

1895 — *Berl.Ent.Zeitschr.*, 40: 282

Type-locality: Raliang Himalaya.

Records: Meghalaya: Khasi Hills [1]; Meghalaya: Mawphlang [2]; Meghalaya: Umtyngar, Cerrapunjee [2]; Meghalaya: Shillong [2]

Aedoeagus: fig. 18 [2].

References: [1] TESAR, 1971 - *Acta.Mus.Sil.Sc.Nat.*, 20: 175; [2] SABATINELLI, 1983 - *Entomologica Basiliensia*, 8: 197

Hoplia tesari Sabatinelli

1983 — *Entomologica Basiliensia*, 8: 188

Type-series localities: Bhutan: Gogona; Bhutan: Dorjula; Bhutan: Dechhi Paka; Bhutan: Kotoka-Gogona; Bhutan: Sampa-Kotoka; Bhutan: Bumthang

Aedoeagus: fig. 10 in description

Hoplia tuberculicollis Moser

1912 — *Deutsche Ent.Zeitschr.*: 311

Type-locality and Records: Darjeeling: Kurseong (lectotype) [1]

References: [1] SABATINELLI, 1983 — *Entomologica Basiliensia*, 8: 189

Hoplia virginioi Sabatinelli

1983 — *Entomologica Basiliensia*, 8: 190

Type-locality: Bhutan: Changra, 18 Km South from Tongsa

Aedoeagus: figs. 13-14 in description.

Hoplia viridissima Brenske

1894 — *Mém.Soc.Ent.Belg.*, 2: 34

Type-locality: Darjeeling: Kurseong.

Records: Darjeeling: Kurseong [1]; Nepal: Janakpur: Jiri [2] [3]; Nepal: Poyan [4]; Nepal: Navagaon-Num [4]; Nepal: Hong Gaon [4]; Nepal: Arun [4]; Nepal: Neentale [4]; Darjeeling: Ramam [4]; Darjeeling: Lopchu [4]; Darjeeling: Tiger Hill [4]; Darjeeling: Singmari-Bhara-Patea Bung [4]; Bhutan: Karsunphe [4]; Bhutan: Bumthang [4]; Bhutan: Batbalithan [4]; Bhutan: Thang-Rudungla [4]

Aedoeagus: fig. 23 [4].

References: [1] BARLOW, 1899 - *Indian Mus.Notes*, 4: 240; [2] TESAR, 1971 - *Acta.Mus.Sil.Sc.Nat.*, 20: 184; [3] SABATINELLI & MIGLIACCIO, 1982 - *Boll.Soc.ent.ital.*, 114: 105; [4] SABATINELLI, 1983 - *Entomologica Basiliensia*, 8: 203

Hoplia viridula viridula Brenske

1899 — *Indian Mus.Notes*, 4: 177

Type-locality: Meghalaya: Khasi Hills.

Records: Meghalaya: Mawphlang [2]; Darjeeling: Lopchu [2]; Darjeeling: Kurseong [1]; Darjeeling: Rimbick-Lodhama [2]; Sikkim: Gangtok [2]; Sikkim: Rangeli river [2]; Nepal: Hedagna-Lamobagar Gao [2]; Nepal: Chichila-Mure [2]; Nepal: Kathmandu [2]; Nepal: Danda Pakhar [2]

Aedoeagus: fig. 20 [2].

References: [1] MOSER, 1912 - *Deutsche Ent.Zeitschr.*: 312 (*H.viridula* ab. *viridisignata* Moser, 1912); [2] SABATINELLI, 1983 - *Entomologica Basiliensia*, 8: 197

Hoplia viridula gibbosa Sabatinelli

1983 — *Entomologica Basiliensia*, 8: 199

Type-series localities: Bhutan: Sampa Kotoka (Holotypus); Bhutan: Chimakothi; Bhutan: Tongsa; Bhutan: Chasilakha; Bhutan: Dorjee Khandu; Bhutan: Wangdi Phodranh

Aedoeagus: fig. 21 in description

DIPLOTAXINI

Apogonia aenescens Hope1831 — in GRAY's, *Zool.Misc.*: 23

Type-locality: Nepal

Apogonia aerata Moser1916 — *Deutsche Ent.Zeitschr.*: 179

Type-locality: Meghalaya: Kashi Hills

Apogonia aneomicans Moser1913 — *Deutsche Ent.Zeitschr.*: 424

Type-locality: Assam

Apogonia assamensis Moser1919 — *Stett.Ent.Z.*, 80: 49

Type-locality: Assam

Apogonia blanchardi Ritsema1898 — *Notes Leyden Mus.*, 20: 30

Type-locality: Bihar: Chota Nagpore; Karnataka: Mysore

Apogonia brunnea Blanchard1850 — *Cat.Coll.Ent.*, 1: 228

Type-locality: N.India.

Records: West Bengal: Calcutta [1]

References: [1] BARLOW, 1899 - *Indian Mus.Notes*, 4: 251*Apogonia convexicollis* Frey1962 — *Ent.Arb.Mus.Frey*, 13: 610

Type-locality: Assam: Kaziranga N.Mikir Hills.

Records: Bhutan [1]

Aedoeagus: fig. 3 in description.

References: [1] FREY, 1975 - *Entomologica Basiliensia*, 1: 240*Apogonia cribricollis* Burmeister1855 — *Handb.Ent.*, 4 (2): 256

Type-locality: Hongkong; Tonkino.

Records: Assam: Sibsagar [1]; Burma: Mts. Mauson [2]

References: [1] BARLOW, 1899 - *Indian Mus.Notes*, 4: 251; [2] MOSER, 1908 — *Ann.Soc.Ent.Belg.*, 52: 326*Apogonia diversicollis* Moser1914 — *Notes Leyden Mus.*, 34: 151 (*A.expeditionis ab.diversicollis* Moser)

Type-locality: Sikkim: Jahore

Apogonia ferruginea Fabricius1781 — *Spec.Ins.*, 1: 41

Type-locality: Coromandel.

Records: Maldah [1]; Bihar: Ranchi [1]

References: [1] BARLOW, 1899 - *Indian Mus.Notes*, 4: 251*Apogonia baryanavi* Mittal

1988 — *Reichenbachia*, 25: 158

Type-locality: Haryana: Kurukshetra

Aedoeagus: figs. 1-2 in description.

Apogonia kombirana Brenske

1896 — *Ann.Soc.Ent.Belg.*, 40: 155

Type-locality and Records: Bengal: Konbir [1]

References: [1] BARLOW, 1899 - *Indian Mus.Notes*, 4: 251

Apogonia moesta Burmeister

1855 — *Handb.Ent.*, 4 (2): 257

Type-locality: Sumatra, Malakka.

Records: Bengal [1]; Nepal [1]; West Bengal: Berhampur [2]

References: [1] RITSEMA, 1890/91 - *Tijdschr.v.Ent.*, 34: 95 (note); [2] BARLOW, 1899 - *Indian Mus.Notes*, 4: 252

Apogonia nigrescens Hope

1831 — in GRAY'S, *Zool.Misc.*: 23

Type-locality: Nepal.

Records: H.P.: Kulu [1]

References: [1] WATERHOUSE, 1877 - *Cist.Ent.*, 2: 223

Apogonia obscura Blanchard

1850 — *Cat.Coll.Ent.*, 1: 229

Type-locality: North India

Apogonia posticalis Arrow

1921 — in BABAULT, *Miss.prov.cent.Hinde et reg.occ.Himalaya*, Lamellicornes: 8

Type-locality: Punjab: Kalka

Apogonia rugulosa Moser

1913 — *Deutsche Ent.Zeitschr.*: 424

Type-locality: Assam

Apogonia schereri Frey

1962 — *Ent.Arb.Mus.Frey*, 13: 608

Type-locality: Assam: Kaziranga, N.Mikir-Hills

Aedoeagus: fig. 2 in description.

Apogonia sequens Frey

1975 — *Entomologica Basiliensia*, 1: 233

Type-locality: U.P.: Dehra-Dun, Kumaon

Aedoeagus: fig. 13 in description.

Apogonia setosa Arrow

1921 — in BABAULT, *Miss.prov.cent.Hinde et reg.occ.Himalaya*, Lamellicornes: 7

Type-locality: H.P.: Kangra, Bajaura

Apogonia splendida Bohem.

1858 — *Col.*: 55

Type-locality: Hongkong.

Records: Bhutan [1]; Sikkim [2]

References: [1] FREY, 1975 — *Entomologica Basiliensia*, 1: 240; [2] BARLOW, 1899 - *Indian Mus. Notes*, 4: 252

Apogonia unidens Frey

1962 — *Ent. Arb. Mus. Frey*, 13: 608

Type-locality: Meghalaya: Khasi Hills, Cerrapunjee

Aedoeagus: fig. 1 in description.

Apogonia uniformis Blanchard

1850 — *Cat. Coll. Ent.*, 1: 229

Type-locality: Tamil Nadu: Pondicherry

Records: Bihar: Ranchi [1]; Karnataka: Bangalore [1]; Sikkim [1]

References: [1] BARLOW, 1899 - *Indian Mus. Notes*, 4: 252

Apogonia vicina Burmeister

1855 — *Handb. Ent.*, 4 (2): 256

Type-locality: Tamil Nadu: Pondicherry.

Records: Sikkim [1]; Maldah [1]

References: [1] BARLOW, 1899 - *Indian Mus. Notes*, 4: 253

Apogonia villosella Blanchard

1850 — *Cat. Coll. Ent.*, 1: 229

Type-locality: Maharashtra: Bombay.

Records: West Bengal: Calcutta [1]

References: [1] BARLOW, 1899 — *Indian Mus. Notes*, 4: 253

MELOLONTHINI

Articephala himachali Mittal

1988 — *Reichenbachia*, 25: 158

Type-locality: H.P.: Dalhouse; H.P.: Baniket

Aedoeagus: fig. 3 in description

Articephala planifrons Moser

1920 — *Stett. Ent. Z.*, 81: 27

Type-locality: H.P.: Simla

Asactopholis microsquamosa (Frey) (comb. nov.)

1972 — *Ent. Arb. Mus. Frey*, 23: 119 (*Holotrichia*)

Type-locality: Sikkim: Pedong bei Darjeeling.

Records: Bhutan [1]; Nepal: Kathmandu [2]; U.P.: Dehradun [3]

Aedoeagus: fig. 7 in description; figs. 8-9 [2]; figs. 4-5 [3].

References: [1] FREY, 1975 — *Entomologica Basiliensia*, 1: 240; [2] SABATINELLI & MIGLIACCIO, 1982 — *Boll. Soc. ent. ital.*, 114: 104; [3] MITTAL, 1988 — *Reichenbachia*, 25: 159 (*A. dehradunus* Mittal, 1988, syn. nov.)

Brachyllus frontalis Brenske

1892 — *Berl. Ent. Zeitschr.*, 37: 83 (*Brahmina*) (nomen nudum); 1896 - *Ann. Soc. Ent. Belg.*, 40: 163 (description)

Type-locality: Meghalaya: Khasi Hills

Brachyllus ulcerosus Brenske

1896 — *Ann. Soc. Ent. Belg.*, 40: 162

Type-locality: Darjeeling: Kurseong.

Records: Sikkim [1]

References: [1] BARLOW, 1899 - *Indian Mus. Notes*, 4: 265

Brahmina adaequata Moser

1909 — *Ann. Soc. Ent. Belg.*, 53: 475

Type-locality: Sikkim

Brahmina assamensis Moser

1913 — *Deutsche Ent. Zeitschr.*: 62

Type-locality: South Assam: Cachar

Brahmina bengalensis Nonfried

1891 — *Berl. Ent. Zeitschr.*, 36: 229

Type-locality: Bengal

Brahmina braeti Brenske

1896 — *Ann. Soc. Ent. Belg.*, 40: 161

Type-locality: Darjeeling: Kurseong.

Records: Bhutan [1]; Nepal: Thodung [2]

Aedoeagus: fig. 6 [2].

References: [1] FREY, 1975 - *Entomologica Basiliensia*, 1: 240; [2] SABATINELLI & MIGLIACCIO, 1982 - *Boll. Soc. ent. ital.*, 114: 105

Brahmina cardoni Brenske

1892 — *Berl. Ent. Zeitschr.*, 37: 114

Type-locality: Darjeeling.

Records: Darjeeling: Kurseong [1]

References: [1] BARLOW, 1899 - *Indian Mus. Notes*, 4: 264

Brahmina carinifrons Moser

1913 — *Deutsche Ent. Zeitschr.*: 63 (female)

Type-locality: Bengal

Brahmina comata Blanchard

1850 — *Cat. Coll. Ent.*, 1: 140

Type-locality: N. India.

Records: West Bengal: Calcutta [1]

References: [1] BARLOW, 1899 - *Indian Mus. Notes*, 4: 264

Brahmina coriacea Hope

1831 — in GRAY's, *Zool. Misc.*: 23

Type-locality: Nepal.

Records: H.P.: Kulu, Koti [1]; Manoli [1]; Nepal Janakpur: Jiri via Those [2]

Aedoeagus: fig. 13 [2]

References: [1] ARROW, in BABAULT, 1921 - *Miss. prov. centr. Inde et reg. occ. Himalaya*, Lamellicornes: 9; [2] SABATINELLI & MIGLIACCIO, 1982 - *Boll. Soc. ent. ital.*, 114: 109

Brahmina cribricollis (Redtenbacher)

1842 — in HUGEL, *Reise in Kashmir*, 4: 524 (*Schizonycha*)

Type-locality: Pakistan: Murree.

Records: N.W. Himalaya, Pakistan: Murree [1]; Burma [2]; South Cina [2]; Malay Peninsula [2]; Bhutan [3]

Aedoeagus: fig. 12 [4].

References: [1] BARLOW, 1899 - *Indian Mus. Notes*, 4: 263 (*B. calva* Bl.); [2] ARROW, 1946 - *Ark. Zool.*, 38: 20; [3] FREY, 1975 - *Entomologica Basiliensia*, 1: 240; [4] SABATINELLI & MIGLIACCIO, 1982 - *Boll. Soc. ent. ital.*, 114: 110

Brahmina crinicollis Burmeister

1855 — *Handb. Ent.*, 4 (2): 364

Type-locality: Assam.

Records: Assam [1]; Jammu & Kashmir: Spiti, Pulga [2]; H.P.: Kangra, Bajaura [2]; Bhutan [3]

References: [1] BRENSKE, 1892 - *Berl. Ent. Zeitschr.*, 37: 86; [2] ARROW in BABAUULT, 1921 - *Miss. prov. centr. Inde et reg. occ. Himalaya*, Lamellicornes: 9; [3] FREY, 1975 - *Entomologica Basiliensia*, 1: 240

Brahmina cuprea Mittal

1977 — *Entomon*, 2: 86 (*B. cupreus*)

Type-locality: U.P.: Dehradun

Brahmina donckieri Brenske

1892 — *Berl. Ent. Zeitschr.*, 37: 86

Type-locality: Darjeeling

Brahmina elongata Moser

1913 — *Deutsche Ent. Zeitschr.*: 66

Type-locality: Himalaya

Brahmina flabellata Brenske

1892 — *Berl. Ent. Zeitschr.*, 37: 104

Type-locality: Sikkim

Brahmina fulgida Brenske

1896 - *Berl. Ent. Zeitschr.*, 41: 351 (female)

Type-locality: N. India, Himalaya

Brahmina jubata Frey

1969 — *Ent. Arb. Mus. Frey*, 20: 523 (female)

Type-series localities: S.W. Tibet: Poo, (holotype female); Nepal Janakpur: Jiri (paratype)

Brahmina kuluensis Moser

1919 — *Stett. Ent. Z.*, 80: 352

Type-locality: H.P.: Kulu

Brahmina kurseongana Moser

1924 — *Stett. Ent. Z.*, 84: 132

Type-locality: Darjeeling: Kurseong

Brahmina longiceps Moser

1918 — *Stett. Ent. Z.*, 79: 321

Type-locality: Bengal

Brahmina lutea Moser

1913 — *Deutsche Ent. Zeitschr.*: 66

Type-locality: Himalaya

Brahmina obscura Brenske1892 — *Berl.Ent.Zeitschr.*, 37: 105

Type-locality: Meghalaya: Khasi Hills

Brahmina pilifera Moser1915 — *Deutsche Ent.Zeitschr.*: 143

Type-locality: Tibet: Poo.

Records: Bhutan [1]

References: [1] FREY, 1975 - *Entomologica Basiliensia*, 1: 240*Brahmina plagiatus* Brenske1896 — *Berl.Ent.Zeitschr.*, 41: 351

Type-locality: Sikkim

Brahmina poonensis Frey1971 — *Ent.Arb.Mus.Frey*, 22: 131

Type-locality: Tibet: Poo, West Himalaya

Aedoeagus: fig. 18 in description.

Brahmina pubescens Arrow1921 — in BABAULT, *Miss.prov.centri.Inde et reg.occ.Himalaya*, Lamellicornes: 10

Type-locality: H.P.: Kangra, Bajaura

Brahmina punjabensis (Arrow)1948 — *Proc.Ent.Soc.London*, 17: 53 (*Lachnosterna*)

Type-series localities: Punjab: Thobba, Murree Hills; U.P.: Ranikhet, W.Almora

Brahmina pusilla Arrow1921 — in BABAULT, *Miss.prov.centri.Inde et reg.occ. Himalaya*, Lamellicornes: 11

Type-series localities: Jammu & Kashmir: Lahoul, Keiling, Sumdee

Brahmina rosettae Frey1971 — *Ent.Arb.Mus.Frey*, 22: 129

Type-locality: U.P.: Dehra Dun, Kumaon.

Records: Bhutan [1]

Aedoeagus: fig. 17 in description.

References: [1] FREY, 1975 - *Entomologica Basiliensia*, 1: 240*Brahmina rugosicollis* Frey1971 — *Ent.Arb.Mus.Frey*, 22: 130 (female)

Type-locality: U.P.: Dehra Dun

Brahmina sculpticollis Frey1969 — *Ent.Arb.Mus.Frey*, 20: 524 (female)

Type-locality: Nepal: Likhu Kola-Mandsua

Brahmina shillongensis Brenske1899 — *Indian Mus.Notes*, 4: 177 (female)

Type-locality: Meghalaya: Shillong

Brahmina siamensis Brenske1892 — *Berl.Ent.Zeitschr.*, 37: 103

Type-locality: Malakka, Siam.

Records: Assam [1]

References: [1] BARLOW, 1899 - *Indian Mus. Notes*, 4: 264

Brahmina sikkimensis Brenske

1892 — *Berl. Ent. Zeitschr.*, 37: 113

Type-locality: Sikkim

Brahmina simlana Moser

1913 — *Deutsche Ent. Zeitschr.*: 63

Type-locality: H.P.: Simla

Brahmina sulcifrons Moser

1913 — *Ann. Soc. Ent. Belg.*, 57: 344

Type-locality: Sikkim

Brahmina tuberculifrons Moser

1926 — *Stett. Ent. Z.*, 87: 204

Type-locality: Jummo & Kashmir

Brahmina verticalis Moser

1915 — *Deutsche Ent. Zeitschr.*: 135 (female)

Type-locality: Nepal

Cyphochilus candidus (Olivier)

1789 — *Entom.*, 1: 15 (*Melolontha*)

Type-locality: Cina.

Records: Sikkim [1]; Meghalaya: Shillong [1]; Assam: Sibsagar [1]; Mungphu [1], Nagaland: Naga Hills [1]

References: [1] BARLOW, 1899 - *Indian Mus. Notes*, 4: 255

Cyphochilus niveosquamosus (Blanchard)

1850 — *Cat. Coll. Ent.*, 1: 158 (*Leucopholis*)

Type-locality: Karnataka: Mysore

Records: North India [1]

References: [1] DALLA TORRE, 1912-13 - *Col. Cat.*, 49: 176

Cyphochilus pygidialis Nonfried

1893 — *Berl. Ent. Zeitschr.*, 38: 332

Type-locality: Manipur.

Records: Meghalaya: Shillong [1]

References: [1] BARLOW, 1899 — *Indian Mus. Notes*, 4: 256

Cyphonoxia delhiensis Anand

1988 — *Reichenbachia*, 26: 15

Type-locality: Delhi

Cyphonoxia gitashri Mittal

1988 — *Reichenbachia*, 25: 160 (female)

Type-locality: Haryana: Kurukshetra

Granida edentula Harold

1878 — *Deutsche Ent. Zeitschr.*, 22: 71

Type-locality: Himalaya

Hilyotrogus assamensis Moser1913 — *Deutsche Ent.Zeitschr.*: 278 (female)

Type-locality: Assam

Hilyotrogus calcaratus (Frey)1971 — *Ent.Arb.Mus.Frey*, 22: 132 (*Melichrous*)

Type-locality: Nepal: E. Junbesi, 2780m, 7.1964; Nepal: Dudh Hosi, 7.1971

Hilyotrogus holosericeus (Redtenbacher)1844 — in HUGEL, *Reise in Kashmir*, 4: 524 (*Ancylonycha*)

Type-locality: Kash

Records: Sikkim [1]; Nepal Janakpur: Jiri [2]

References: [1] MOSER 1921 - *Deutsche Ent.Zeitschr.*, 82: 65 (*H.rufoflavus* Moser, 1921); [2] SABATINELLI & MIGLIACCIO, 1982 - *Boll.Soc.ent.ital.*, 114: 105*Hilyotrogus kolbei* (Brenske)1892 — *Ent.Nachr.*, 17: 156 (*Melichrous*)

Type-locality: Darjeeling.

Records: Bhutan [1]

References: [1] FREY, 1975 — *Entomologica Basiliensia*, 1: 241*Hilyotrogus nitens* Frey1975 — *Entomologica Basiliensia*, 1: 235

Type-series localities: Bhutan: Gogona; Wangdi Phodrang; Dechhi-Paka

Aedoeagus: fig. 15 in description.

Hilyotrogus ochraceosericeus Moser1913 — *Deutsche Ent.Zeitschr.*: 279

Type-locality: Meghalaya: Shillong

Hilyotrogus rufosericeus Moser1913 — *Deutsche Ent.Zeitschr.*: 279

Type-locality: Meghalaya: Shillong

Hilyotrogus sikkimensis Moser1913 — *Deutsche Ent.Zeitschr.*: 277

Type-locality: Sikkim

Hilyotrogus wittmeri Frey1975 — *Entomologica Basiliensia*, 1: 233

Type-series localities: Bhutan: Nobding; Bhutan: Thimphu; Bhutan: 21 km O.Wangdi Phodrang

Aedoeagus: fig. 14 in description.

Holotrichia antracina Brenske1892 — *Berl.Ent.Zeitschr.*, 37: 184

Type-locality: Bangladesh: Sylhet.

Records: Sikkim [1]; North India to Nepal [2]; Bhutan [3]; Nepal: Kathmandu [4]; Nepal Janakpur: Those [4]

Aedoeagus: fig. 25 [2].

References: [1] BRENSKE, 1892 - *Berl.Ent.Zeitschr.*, 37: 185(*H.cotesi* Brsk., 1892); [2] FREY, 1971 - *Ent.Arb.Mus.Frey*, 22: 216; [3] FREY, 1975 - *Entomologica Basiliensia*, 1: 240; [4] SABATINELLI & MIGLIACCIO, 1982 — *Boll.Soc.ent.ital.*, 114: 104

Holotrichia assamensis Brenske1896 — *Berl.Ent.Zeitschr.*, 41: 345

Type-locality: Assam

Records: N.W. India [1]

Aedoeagus: fig. 26 [1]

References: [1] FREY, 1971 - *Ent.Arb.Mus.Frey*, 22: 219*Holotrichia batillaria* (Bates)1891 — *Entomol.*, 24, suppl.: 15 (female) (*Lachnosterna*)

Type-locality: H.P.: Kulu

Holotrichia batillina (Bates)1891 — *Entomol.*, 24, suppl.: 15 (female) (*Lachnosterna*)

Type-locality: H.P.: Kulu.

Records: Bhutan [1]

References: [1] FREY, 1975 — *Entomologica Basiliensia*, 1: 240*Holotrichia bengalensis* Brenske1894 — *Mém.Soc.Ent.Belg.*, 2: 60

Type-locality: Bangladesh: Sylhet

Holotrichia bhutanensis Frey1975 — *Entomologica Basiliensia*, 1: 237

Type-series localities: Bhutan: Samchi; Bhutan: Phuntsholing

Aedoeagus: fig. 17 in description.

Holotrichia biebli Brenske1892 — *Berl.Ent.Zeitschr.*, 37: 170

Type-locality: Darjeeling.

Records: Darjeeling: Kurseong [1]; Sikkim [2].

Aedoeagus: fig. 13 [3]

References: [1] BRENSKE, 1896 - *Ann.Soc.Ent.Belg.*, 40: 157 (*H.biebli* v. *kurseongana* Brsk., 1896); [2] BARLOW, 1899 - *Indian Mus.Notes*, 4: 258; [3] FREY, 1971 - *Ent.Arb.Mus.Frey*, 22: 212*Holotrichia braeti* Brenske1896 — *Ann.Soc.Ent.Belg.*, 40: 159

Type-locality: Darjeeling: Kurseong

Records: Bengal [1]; Bhutan [2]

Aedoeagus: fig. 14 [1]

References: [1] FREY, 1971 - *Ent.Arb.Mus.Frey*, 22: 213; [2] FREY, 1975 - *Entomologica Basiliensia*, 1: 240*Holotrichia carinifrons* Moser1909 — *Ann.Soc.Ent.Belg.*, 53: 474

Type-locality: Sikkim [1]

Records: India [1]

References: [1] FREY, 1971 - *Ent.Arb.Mus.Frey*, 22: 220*Holotrichia cavifrons* Brenske1892 — *Berl.Ent.Zeitschr.*, 37: 167

Type-series localities: Darjeeling; Nepal.

Records: Bhutan [1]; Nepal Janakpur: Jiri [2]; Nepal Janakpur: Those [2]; Nepal: Kathmandu [2]

Aedoeagus: fig. 9 [3]

References: [1] FREY, 1975 - *Entomologica Basiliensia*, 1: 240; [2] SABATINELLI & MIGLIACCIO, 1982 - *Boll.Soc.ent.ital.*, 114: 104; [3] FREY, 1971 - *Ent.Arb.Mus.Frey*, 22: 211

Holotrichia clypealis Brenske

1896 — *Ann.Soc.Ent.Belg.*, 40: 159

Type-locality: Darjeeling: Kurseong.

Records: Sikkim [1]

Aedoeagus: fig. 16 [2]

References: [1] BARLOW, 1899 - *Indian Mus.Notes*, 4: 258; [2] FREY, 1971 - *Ent.Arb.Mus.Frey*, 22: 213

Holotrichia consanguinea Blanchard

1850 — *Cat.Coll.Ent.*, 1: 139

Type-locality: North India.

Records: South India: Malabar costa [1]; widely distributed in India [2]; Rajasthan: Lalsot [2]; Delhi [2]; Maya Rám.: Gujarat [2]; Maharashtra: Akola [2]

Aedoeagus: fig. 2 (poorly) [2]

References: [1] FREY, 1971 - *Ent.Arb.Mus.Frey*, 22: 214; [2] KHAN & GHAI, 1982 - *Bull.Ent.*, 23: 35

Holotrichia cotesi Brenske

1892 — *Berl.Ent.Zeitschr.*, 37: 185 (female)

Type-locality: Sikkim [1].

Records: Darjeeling: Kurseong [1]

References: [1] BARLOW, 1899 - *Indian Mus.Notes*, 4: 259

Holotrichia dubiosa Frey

1971 — *Ent.Arb.Mus.Frey*, 22: 217

Type-series localities: Tamil Nadu: Madura; Sikkim; Darjeeling

Aedoeagus: fig. 7 in description.

Holotrichia flavosericea Brenske

1896 — *Berl.Ent.Zeitschr.*, 41: 348

Type-locality: Sikkim

Holotrichia freyi Mittal

1977 — *Entomón*, 2: 85 (*Holotrichia frey*)

Type-locality: Haryana: Kurukshetra

Aedoeagus: fig. 1 in description.

Holotrichia frontalis Brenske

1892 — *Berl.Ent.Zeitschr.*, 37: 173

Type-locality: Sikkim

Records: Darjeeling: Kurseong [1]; N.India [2]

Aedoeagus: fig. 27 [2]

References: [1] BRENSKE, 1896 - *Ann.Soc.Ent.Belg.*, 40: 158 (*H.fulgida* Brsk., 1896); [2] FREY, 1971 - *Ent.Arb.Mus.Frey*, 22: 219

Holotrichia glabricollis Brenske

1896 — *Ann.Soc.Ent.Belg.*, 40: 157

Type-locality: Darjeeling: Kurseong.

Records: N.India [1]; Bhutan [2]

References: [1] FREY, 1971 - *Ent.Arb.Mus.Frey*, 22: 217; [2] FREY, 1975 - *Entomologica Basiliensia*, 1: 240

Holotrichia glabrifrons Brenske

1892 — *Berl.Ent.Zeitschr.*, 37: 190

Type-locality: Meghalaya: Khasi Hills

Holotrichia gradatifrons (Bates)

1891 — *Entomol.*, 24, suppl.: 15 (female) (*Lachnosterna*)

Type-locality: H.P.: Kulu [1].

Records: N.India [1]

References: [1] FREY, 1971 - *Ent.Arb.Mus.Frey*, 22: 220

Holotrichia hirsuta Moser

1913 — *Deutsche Ent.Zeitschr.*: 52

Type-locality: Sikkim

Records: Darjeeling [1]

References: [1] TESAR, 1971 - *Acta.Mus.Sil.Sc.Nat.*, 20: 170

Holotrichia impressa (Burmeister)

1855 — *Handb.Ent.*, 4 (2): 314 (*Ancylonycha*)

Type-locality: Assam

Records: Sikkim [1]

References: [1] BARLOW, 1899 - *Indian Mus.Notes*, 4: 261

Holotrichia iridipennis Brenske

1892 — *Berl.Ent.Zeitschr.*, 37: 177 (female)

Type-locality: Assam: Sibsagar, S.E.Peal.

Records: West Bengal: Calcutta [1]; Meghalaya: Khasi Hills [1]; Himalaya to Burma [2]

Aedoeagus: fig. 30 [1]

References: [1] BARLOW, 1899 - *Indian Mus.Notes*, 4: 261; [2] FREY, 1971 - *Ent.Arb.Mus.Frey*, 22: 222

Holotrichia kulzeri Frey

1975 — *Entomologica Basiliensia*, 1: 236

Type-series localities: Bhutan: Samchi; Bhutan: Phuntsoling

Aedoeagus: fig. 16 in description.

Holotrichia laticollis Moser

1921 — *Stett.Ent.Z.*, 82: 62

Type-locality: Sikkim

Aedoeagus: fig. 15 [1]

References: FREY, 1971 - *Ent.Arb.Mus.Frey*, 22: 214

Holotrichia longipennis Blanchard

1850 — *Cat.Coll.Ent.*, 1: 140

Type-locality: N.India

Records: India [1]; Tibet [1]; H.P.: Kulu [1]; Himalaya [2]; H.P.: Kulu, Manoli [3]; Bhutan [4]

References: [1] BURMEISTER, 1855 - *Handb.Ent.*, 4 (2): 538 (*Ancylonycha tereticollis* Burm., 1855); [2] BRENSKE,

1896 - *Berl.Ent.Zeitschr.*, 41: 346 (*H.similana* Brsk., 1896); [3] ARROW, in BABAULT, 1921 *Miss.prov.centri.Inde*

et reg.occ.Himalaya, Lamellicornes: 9; [4] FREY, 1975 - *Entomologica Basiliensia*, 1: 240

Holotrichia luteosericea Brenske

1896 — *Berl.Ent.Zeitschr.*, 41: 347

Type-locality: Darjeeling: Kurseong

Holotrichia nepalensis Frey

1972 — *Ent.Arb.Mus.Frey*, 23: 120

Type-locality: Nepal: Prov. 1 East, Pultschuk

Aedoeagus: fig. 8 in description.

Holotrichia nigricollis Brenske

1892 — *Berl.Ent.Zeitschr.*, 37: 177

Type-locality: Himalaya: Dari.

Records: Meghalaya: Shillong [1]; Himalaya [2]; Laos [2]

References: [1] MOSER, 1909 - *Ann.Soc.Ent.Belg.*, 53: 469 (*H.nigricollis* v. *rubricollis* Moser, 1909); [2] FREY, 1971 - *Ent.Arb.Mus.Frey*, 22: 218

Holotrichia nitida Brenske

1892 — *Berl.Ent.Zeitschr.*, 37: 171 (female)

Type-locality: Meghalaya: Khasi Hills

Holotrichia nubiliventris (Bates)

1891 — *Entomol.*, 24, suppl.: 16 (*Lachnosterna*)

Type-locality: H.P.: Kulu

Records: N.India [1]

References: [1] FREY, 1971 - *Ent.Arb.Mus.Frey*, 22: 221

Holotrichia obscura Brenske

1892 — *Berl.Ent.Zeitschr.*, 37: 162 (female)

Type-locality: Sikkim

Records: Assam [1] [2]; Nepal [2]

References: [1] BARLOW, 1899 — *Indian Mus.Notes*, 4: 260; [2] FREY, 1971 - *Ent.Arb.Mus.Frey*, 22: 213

Holotrichia occipitalis (Bates)

1891 — *Entomol.*, 24, suppl.: 14 (female) (*Lachnosterna*)

Type-locality: H.P.: Kulu

Holotrichia undulata Khan & Ghai

1982 — *Bull.Ent.*, 23: 43

Type-locality: Sikkim

Aedoeagus: fig. 7 d in description.

Holotrichia problematica Brenske

1899 — *Indian Mus.Notes*, 4: 178

Type-locality: Jammu & Kashmir: Srinagar

Records: Himalaya to Kashmir [1]

Aedoeagus: fig. 32 [1]

References: [1] FREY, 1971 - *Ent.Arb.Mus.Frey*, 22: 222

Holotrichia rosettae Frey

1971 — *Ent.Arb.Mus.Frey*, 22: 218 (female)

Type-locality: Meghalaya: Shillong.

Records: Bhutan [1]

References: [1] FREY, 1975 - *Entomologica Basiliensia*, 1: 240

Holotrichia scrobiculata Brenske

1892 — *Berl.Ent.Zeitschr.*, 37: 164 (female)

Type-locality: Sikkim

Holotrichia semihirta Frey

1971 — *Ent.Arb.Mus.Frey*, 22: 210

Type-locality: U.P.: Mussoorie

Aedoeagus: fig. 4 in description.

Holotrichia sericata Brenske

1892 — *Berl.Ent.Zeitschr.*, 37: 168 (female)

Type-locality: Meghalaya: Khasi Hills

Holotrichia sericina Frey

1971 — *Ent.Arb.Mus.Frey*, 22: 213

Type-locality: Darjeeling: Kurseong

Holotrichia serrata (Fabricius)

1787 — *Spec.Ins.*, 1: 35 (*Melolontha*)

Type-locality: India

Records: West Bengal: Berhampur [1]; Sikkim [1]; West Bengal: Maldah [1]; Punjab: Kutola [2]; India and Sri Lanka [3]; Bhutan [4]; widely distributed in India [6]; Maharashtra: Akola [6]

Aedoeagus: fig. 12 [3]; fig. 1 d [6].

References: [1] BARLOW, 1899 - *Indian Mus. Notes*, 4: 262; [2] ARROW, in BABAULT, 1921 - *Miss. prov. centr. Inde et reg. occ. Himalaya*, Lamellicornes: 9; [3] FREY, 1971 *Ent.Arb.Mus.Frey*, 22: 213; [4] FREY, 1975 - *Entomologica Basiliensia*, 1: 240; [6] KHAN & GHAI, 1982 - *Bull.Ent.*, 23: 33

Holotrichia serricollis (Motschulsky)

1853 — *Etud.Ent.*, 1: 46 (*Ancylonycha*)

Type-locality: Cina: Peking

Records: Sikkim [1]

References: [1] KHAN & GHAI, 1982 - *Bull.Ent.*, 23: 28

Holotrichia seticollis Moser

1912 — *Ann.Soc.Ent.Belg.*, 56: 426

Type-locality: Sikkim

Aedoeagus: fig. 3 [1]

References: [1] FREY, 1971 - *Ent.Arb.Mus.Frey*, 22: 209.

Holotrichia setosifrons Khan & Ghai

1982 — *Bull.Ent.*, 23: 36

Type-locality: H.P.: Simla

Aedoeagus: fig. 3 d

Holotrichia sikkimensis Brenske

1892 — *Berl.Ent.Zeitschr.*, 37: 169

Type-locality: Sikkim

Records: Bhutan [1]; Nepal: Kathmandu [2]

Aedoeagus: fig. 11 [3]

References: [1] FREY, 1975 - *Entomologica Basiliensia*, 1: 240; [2] SABATINELLI & MIGLIACCIO, 1982 - *Boll.Soc.ent.ital.*, 114: 104; [3] FREY, 1971 - *Ent.Arb.Mus.Frey*, 22: 212

Holotrichia staudingeri Brenske

1892 — *Berl.Ent.Zeitschr.*, 37: 166

Type-locality: Sikkim

Records: Bangladesh: Sylhet [1]; West Bengal: Calcutta [2]; Meghalaya: Shillong [2]; Assam [3]

Aedoeagus: fig. 10 [2]

References: [1] BRENSKE, 1892 - *Berl.Ent.Zeitschr.*, 37: 20 (*H.staudingeri* ab.*nobilissima* Brsk., 1892); [2] BARLOW, 1899 - *Indian Mus.Notes*, 4: 262; [3] FREY, 1971 - *Ent.Arb.Mus.Frey*, 22: 212

Holotrichia stoliczkae (Sharp)

1878 — *Journal Asiat.Soc. Bengal*, 47: 172 (*Lachnosteria*)

Type-series localities: Pakistan: Murree; H.P.: Kulu [1]

References: [1] FREY, 1971 - *Ent.Arb.Mus.Frey*, 22: 217

Holotrichia tetarana Brenske

1896 — *Ann.Soc.Ent.Belg.*, 40: 160

Type-locality: Bengal: Tetara

Hoplosternus bifurcatus Brenske

1896 — *Ann.Soc.Ent.Belg.*, 40: 164

Type-localities: Kashmir; Nepal.

Records: N.E. frontier India [1]

References: [1] BARLOW, 1899 - *Indian Mus.Notes*, 4: 269

Hoplosternus furcicauda (Ancey)

1881 — *Naturaliste*: 412 (*Melolontha*)

Type-locality: Jammu & Kashmir: Ladak [3]

Records: Darjeeling [1] [2]; Sikkim [1] [2]; Jammu & Kashmir: Bunu, Gilgit [2]

References: [1] BRENSKE, 1896 - *Ann.Soc.Ent.Belg.*, 40: 163; [2] BARLOW, 1899 - *Indian Mus.Notes*, 4: 270;

[3] ARROW in BABAULT, 1921 - *Miss.prov.cent.Inde et reg.occ.Himalaya*, Lamellicornes: 13

Hoplosternus guttiger (Sharp)

1876 — *Col.Hefte*, 15: 87 (*Melolontha*)

Type-locality: Indien

Records: West Bengal: Jalpaiguri [1]; Darjeeling: Kurseong [1]

References: [1] BARLOW, 1899 - *Indian Mus.Notes*, 4: 270

Hoplosternus insignis Semenow

1890 — *Horae Soc.Ent.Ross.*, 24: 197

Type-locality: Ljub-Dshangal

Records: Himalaya, Kashmir, Pamir [1]

References: [1] DALLA TORRE, 1912-13 - *Col.Cat.*, 49: 264

Hoplosternus nitidicollis Blanchard

1850 — *Cat.Coll.Ent.*, 1: 158

Type-locality: North India

Hoplosternus nepalensis Hope

1831 — in GRAY's, *Zool.Misc.*: 23

Type-locality: Nepal

Records: Nepal [3]; Bengal [1]; H.P.: Kulu [2]

References: [1] BLANCHARD, 1850 - *Cat.Coll.Ent.*, 1: 158; [2] BURMEISTER, *Handb.Ent.*, 1855 - 4 (2): 411; [3] BRENSKE, 1896 - *Ann.Soc.Ent.Belg.*, 40: 164

Lepidiota albistigma Burmeister

1855 — *Handb.Ent.*, 4 (2): 295

Type-locality: Assam

Lepidiota bimaculata Saund.

1839 — *Trans.Ent.Soc.London*, 2: 176

Type-locality: India.

Records: Tonkino [1]; Assam [2]; Jammu & Kashmir: Ladak [2]; Sikkim [2]; Meghalaya: Shillong [2]; Burma: Than-Moi [3]

References: [1] DALLA TORRE, 1912-13 - *Col.Cat.*, 49: 170 (*L.griffity*, Hope 1841); [2] BARLOW, 1899 - *Indian Mus.Notes*, 4: 254; [3] MOSER, 1908 - *Ann.Soc.Ent.Belg.*, 52: 332

Lepidiota crenulata (Wiedem.)

1821 — in GERM., *Mag.f.Ent.*, 4: 132 (*Melolontha*)

Type-locality: Assam, Bengal

Lepidiota impluviata Blanchard

1850 — *Cat.Coll.Ent.*, 1: 57

Type-locality: North India

Lepidiota mansueta Burmeister

1855 — *Handb.Ent.*, 4 (2): 296

Type-locality: Assam, Bengal

Lepidiota olivacea Burmeister

1855 — *Handb.Ent.*, 4 (2): 296;

Type-locality: N.India.

Records: Assam [1]; Bangladesh: Sylhet [1]

References: [1] BRENSKE, 1894 - *Mém.Soc.Ent.Belg.*, 2: 84.

Lepidiota punctatipennis Blanchard

1850 — *Cat.Coll.Ent.*, 1: 157

Type-locality: India.

Records: Sikkim [1]

References: [1] BARLOW, 1899 - *Indian Mus.Notes*, 4: 254

Lepidiota renardi Brenske

1896 — *Ann.Soc.Ent.Belg.*, 40: 156

Type-locality: Bengal: Tetara

Lepidiota richteri Brenske

1892 — *Berl.Ent.Zeitschr.*, 37: 44

Type-locality: Himalaya

Lepidiota rugosa Sharp

1876 — *Col.Hefte*, 15: 73

Type-locality: Bangladesh: Sylhet.

Records: Jahore [1]

References: [1] BARLOW, 1899 - *Indian Mus. Notes*, 4: 255

Lepidiota rugosipennis Blanchard

1850 — *Cat. Coll. Ent.*, 1: 157

Type-locality: North India

Records: Kalling [1]

References: [1] BARLOW, 1899 - *Indian Mus. Notes*, 4: 255

Lepidiota sticticoptera Blanchard

1850 — *Cat. Coll. Ent.*, 1: 157

Type-locality: Assam; U.P.: Moradabad

Leucopholis crassa Brenske

1892 — *Berl. Ent. Zeitschr.*, 37: 58

Type-series localities: Assam; Bangladesh: Sylhet;

Records: Meghalaya: Shillong [1]; Darjeeling [1]; Assam [1]

References: [1] BARLOW, 1899 - *Indian Mus. Notes*, 4: 256

Leucophorus flabellatus Brenske

1894 — *Mém. Soc. Ent. Belg.*, 2: 80

Type-locality: U.P.: Moradabad

Megistophylla indica (Brenske)

1899 — *Indian Mus. Notes*, 4: 179 (*Gymmogaster*)

Type-locality: Meghalaya: N. Kashi Hills

Melolontha alboplagiata Brenske

1898 — *Stett. Ent. Z.*, 59: 236 (female)

Type-locality: Sikkim

Melolontha amplipennis Frey

1975 — *Entomologica Basiliensia*, 1: 238

Type-series localities: Bhutan: Timphu; Bhutan: Wangdi-Phodrang.

Records: Nepal Janakpur: Jiri via Those [1]

Aedoeagus: figs. 10-11 [1]

References: [1] SABATINELLI & MIGLIACCIO, 1982 - *Boll. Soc. ent. ital.*, 114: 105

Melolontha cuprescens Blanchard

1871 — *Compt. rend. Ac. Paris*, 72: 811 (note)

Type-locality: Tibet.

Records: H.P.: Kulu [1]; Jummo & Kashmir: Spiti, Tcho-Ti, Tchari-Djoni [2]

References: [1] BATES, 1891 - *Entomol.*, 24 suppl.: 16 (*M. aeneicollis* Bates, 1891); [2] ARROW, in BABAULT,

1921 - *Miss. prov. centr. Inde et reg. occ. Himalaya*, Lamellicornes: 13

Melolontha flabellata (Sharp)

1876 — *Col. Hefte*, 15: 86 (*Oplosternus flabellatus*)

Type-locality: India

Records: Sikkim [1]; Darjeeling [2]

References: [1] BRENSKE, 1896 - *Ann. Soc. Ent. Belg.*, 40: 164; [2] BARLOW, 1899 - *Indian Mus. Notes*, 4: 269

Melolontha indica Hope1831 — in GRAY'S, *Zool. Misc.*: 23

Type-locality: Nepal

Records: North India to Yunnan [1]; Burma [1]

References: [1] ARROW, 1946 - *Ark.Zool.*, 38: 31*Metabolus kashmirensis* Moser1915 — *Deutsche Ent. Zeitschr.*: 148 (*Metabolus kashmirensis*)

Type-locality: Kashmir: Goorais valley

Neodontocnema abdominalis (Hope)1831 — in GRAY'S, *Zool. Misc.*: 23 (*Melolontha*)

Type-locality: Nepal [1]

Records: Assam [1]

References: [1] ARROW, 1948 - *Proc.R.Ent.Soc.Lond.*, 17: 51*Neodontocnema brancuccii* Sabatinelli1983 — *Entomologica Basiliensia*, 8: 211

Type-locality: Darjeeling: Kalimpong umg., Paiju Busty.

Aedoeagus: figs. 1-2 in description.

Neodontocnema diversiceps (Moser)1912 — *Ann.Soc.Ent.Belg.*, 56: 445 (*Holotrichia*)

Type-locality: Darjeeling: Kurseong

Records: North India [1]

Aedoeagus: fig. 37 [1]

References: [1] FREY, 1971 - *Ent.Arb.Mus.Frey*, 22: 224*Neodontocnema excisa* (Moser)1913 — *Deutsche Ent.Zeitschr.*: 52 (*Holotrichia*)

Type-locality: Maharashtra: Bombay

Records: North and South India [1]

Aedoeagus: fig. 36 [1]

References: [1] FREY, 1971 - *Ent.Arb.Mus.Frey*, 22: 222*Neodontocnema hybrida* (Moser)1912 — *Ann.Soc.Ent.Belg.*, 56: 444 (*Holotrichia*)

Type-locality: Assam

Aedoeagus: fig. 34 [1]

References: [1] FREY, 1971 - *Ent.Arb.Mus.Frey*, 22: 222*Neodontocnema imitatrix* (Brenske)1899 — *Indian Mus.Notes*, 4: 178 (female) (*Holotrichia*)

Type-locality: Sikkim

Aedoeagus: fig. 35 [1]

References: [1] FREY, 1971 - *Ent.Arb.Mus.Frey*, 22: 222*Neodontocnema newari* Sabatinelli & Migliaccio1982 — *Boll.Soc.ent.ital.*, 114: 107

Type-locality: Nepal: Bagmati, Kathmandu;

Records: [1] Sikkim: Ahu Khola, Rani Pull

Aedoeagus: figs. 3-4 in description.

References: [1] SABATINELLI, 1983 - *Entomologica Basiliensia*, 8: 213

Panotrogus nepalensis Frey

1969 — *Ent.Arb.Mus.Frey*, 20: 525

Type-locality: Nepal: East Chialsa, Boulukhota-Tal.

Records: Nepal Janakpur: Jiri to Those [1]

Aedoeagus: fig. 5 [1]

References: [1] SABATINELLI & MIGLIACCIO, 1982 - *Boll.Soc.ent.ital.*, 114: 104

Pectinichelus sp. Arrow

1921 — in BABAULT - *Miss.prov.centr.Inde et reg.occ.Himalaya*, Lamellicornes: 9 (one very endamaged specimens, no species attribution)

Locality: H.P.: Kulu, Koti

Polyphylla albosparsa Moser

1919. — *Stett.Ent.Z.*, 80: 353

Type-locality: H.P.: Lahul

Polyphylla brevicornis Petrovitz

1970 — *Zeitschr.Arbeitsgemeinschaft Osterr.Entomologen*, 22: 20

Type-series localities: U.P.: Simla; Nepal: Solu, Ringmo, Jumbesi

Polyphylla sikkimensis Brenske

1896 — *Stett.Ent.Z.*, 57: 201

Type-locality: Sikkim

Schizonycha auruficollis Mittal

1977 — *Entomon*, 2: 86

Type-locality: Haryana: Kurukshetra

Schizonycha decipiens Arrow

1944 — *Ann.Mag.nat.Hist.*, (11) 11: 199

Type-locality: Assam

Schizonycha fuscescens Blanchard

1850 — *Cat.Coll.Ent.*, 1: 151

Type-series localities: Bengal, Assam

Records: Tamil Nadu: Trevandrum [1]; Bihar: Pusa [2]; H.S. Pruthi [2]; Tamil Nadu: Coimbatore [2]

Aedoeagus: fig. 2 d [2]

References: [1] BARLOW, 1899 - *Indian Mus.Notes*, 4: 253; [2] KHAN & GHAI, 1980 - *Bull.Ent.*, 21: 35

Schizonycha hauseri Nonfried

1891 — *Berl.Ent.Zeitschr.*, 36: 226

Type-series localities: Central India; Maharashtra: Nagpore.

Records: Manipur [1]

References: [1] BRENSKE, 1900 - *Stett.Ent.Z.*, 41: 344 (*S.leptorhapis* Brsk., 1900)

Schizonycha impressa Khan & Ghai

1980 — *Bull.Ent.*, 21: 37

Type-locality: New Delhi

Aedoeagus: fig. 3 d in description.

Schizonycha ruficollis (Fabricius)1781 — *Spec. Ins.*, 1: 39 (*Melolontha*)

Type-series localities: Assam; Coromandel; Tamil Nadu: Pondicherry; Bengal

Records: N. India [1]; Ceylon [2]; Orissa [3]; Bihar: Ranchi [3]; Mande [3]; New Delhi [3]

Aedoeagus: fig. 1 d [3]

References: [1] BLANCHARD, 1850 - *Cat. Coll. Ent.*, 1: 151 (*S. xanthodera* Bl., 1850); [2] BRENSKE, 1900 - *Stett. Ent. Z.*, 4: 350 (*S. singhalensis* Brsk., 1900); [3] KHAN & GHAI, 1980 - *Bull. Ent.*, 21: 34*Schoenherria bhutanensis* Frey1975 — *Entomologica Basiliensia*, 1: 238

Type-locality: Bhutan: Phuntsholing

Sophrops burmanica (Moser)1913 — *Deutsche Ent. Zeitschr.*: 67 (*Brahmina*)

Type-locality: Burma

Records: Bhutan [1]

References: [1] FREY, 1975 - *Entomologica Basiliensia*, 1: 241*Sophrops cotesi* (Brenske)1892 — *Berl. Ent. Zeitschr.*, 37: 100 (*Brahmina*)

Type-locality: Sikkim [1]

Records: Darjeeling: Kurseong [1]; Bhutan [2]; Nepal: Kathmandu [3]

References: [1] BARLOW, 1899 - *Indian Mus. Notes*, 4: 264; [2] FREY, 1975 - *Entomologica Basiliensia*, 1: 241; [2] SABATINELLI & MIGLIACCIO, 1982 - *Boll. Soc. ent. ital.*, 114: 105*Sophrops defreinaei* Frey1973 — *Ent. Arb. Mus. Frey*, 24: 236

Type-locality: U.P.: Kumaon, Naini-Ta

Records: Nepal: Kathmandu [1]

Aedoeagus: fig. 5 in description.

References: [1] SABATINELLI & MIGLIACCIO, 1982 *Boll. Soc. ent. ital.*, 114: 105*Sophrops egregia* (Moser)1912 — *Ann. Soc. Ent. Belg.*, 56: 447 (*Holotrichia*)

Type-locality: Assam

Sophrops heteropyga (Moser)1913 — *Deutsche Ent. Zeitschr.*: 57 (*Microtrichia*)

Type-locality: Darjeeling [1]

Records: Manipur [1]; Burma [1]

References: [1] ARROW, 1946 - *Ark. Zool.*, 38 (A) 9: 21*Sophrops himalayica* (Brenske)1892 — *Berl. Ent. Zeitschr.*, 37: 113 (*Brahmina*)

Type-locality: Darjeeling

Sophrops rufofulva Moser1919 — *Deutsche Ent. Zeitschr.*: 31

Type-locality: Meghalaya: Khasis

Sophrops setosa (Brenske)1892 — *Berl. Ent. Zeitschr.*, 37: 99 (*Brahmina*)

Type-locality: Darjeeling: Kurseong

Records: Bhutan [1]

References: [1] FREY, 1975 - *Entomologica Basiliensia*, 1: 241

Sophrops signatifrons (Moser)

1913 — *Deutsche Ent.Zeitschr.*: 57 (*Microtrichia*)

Type-locality: North Assam: Dejoo, N.Lakhimpur (base of hills)

Sophrops thoracica (Brenske)

1892 — *Berl.Ent.Zeitschr.*, 37: 109 (Brahmina)

Type-series localities: Darjeeling; Meghalaya: Kashi Hills

Sophrops umbilicata Frey

1973 — *Ent.Arb.Mus.Frey*, 24: 235

Type-locality: U.P.: Kumaon, Naini-Tal

Records: Bhutan [1]

Aedoeagus: fig. 4 in description.

References: [1] FREY, 1975 - *Entomologica Basiliensia*, 1: 241

Trinoxia cyphonotoides Brenske

1894 — *Mém.Soc.Ent.Belg.*, 2: 81

Type-locality: Karnataka: Bangalore

Records: N.E. frontier of India [1]

References: BARLOW, 1899 - *Indian Mus.Notes*, 4: 272

SERICINI

Autoserica alcocki (Brenske)

1898 — *Berl.Ent.Zeitschr.*, 43: 304 (*Serica*)

Type-locality: U.P.: Siwalik Hills

Records: U.P.: Dehra Dun [1]

References: [1] BARLOW, 1899 - *Indian Mus.Notes*, 4:242

Autoserica assamensis (Brenske)

1898 — *Berl.Ent.Zeitschr.*, 43: 333 (*Serica*)

Type-series localities: Assam; N.W. India.

Records: Duars [1]

References: [1] BARLOW, 1899 - *Indian Mus.Notes*, 4: 242

Autoserica assamica Moser

1915 — *Stett.Ent.Z.*, 76: 160

Type-locality: Assam

Autoserica barwayana (Brenske)

1896 — *Ann.Soc.Ent.Belg.*, 40: 153 (*Serica*)

Type-locality: Bengal: Barway

Autoserica bengalensis Brenske

1898 — *Berl.Ent.Zeitschr.*, 43: 250

Type-locality: Bengal: Barway, Tetara

Autoserica bhutanensis Frey

1975 — *Entomologica Basiliensia*, 1: 224

Type-locality: Bhutan: Samchi.

Aedoeagus: fig. 2 in description.

Autoserica bimaculata (Hope)

1831 — in GRAY's, *Zool.Misc.*: 24 (Serica)

Type-locality: N.India, Himalaya

Records: H.P.: Simla [1]; U.P.: Musoorie [2]

Aedoeagus: fig. 4 (poorly) [2]

References: [1] BRENSKE, 1902 - *Berl.Ent.Zeitschr.*, 47: 62 (*Microserica similana* Brsk., 1902); [2] KHAN & GHAI, 1980 - *Bull.Ent.*, 21: 30

Autoserica birmanica Brenske

1898 — *Berl.Ent.Zeitschr.*, 43: 343

Type-locality: Burma: Carin-Cheba; Teinzo.

Records: Assam [1]

References: [1] MOSER, 1908 — *Ann.Soc.Ent.Belg.*, 52: 326

Autoserica cardoni Brenske

1896 — *Ann.Soc.Ent.Belg.*, 40: 153

Type-locality: Bengal: Barway

Autoserica carinata Khan & Ghai

1980 — *Bull.Ent.*, 21: 25

Type-locality: New Delhi

Aedoeagus: fig. 1 (poorly) in description.

Autoserica carinifrons (Brenske)

1896 — *Ann.Soc.Ent.Belg.*, 40: 152 (*Serica*)

Type-locality: Bengal: Konbir

Autoserica comosa Brenske

1898 — *Berl.Ent.Zeitschr.*, 43: 301 (female)

Type-locality: Sikkim

Autoserica darjeelingia (Brenske)

1898 — *Berl.Ent.Zeitschr.*, 43: 319 (*Microserica*)

Type-locality: Darjeeling

Autoserica dierli Frey

1972 — *Ent.Arb.Mus.Frey*, 23: 188

Type-locality: Nepal: Chisopani Gorhi

Aedoeagus: fig. 45 in description.

Autoserica elegans Frey

1975 — *Entomologica Basiliensia*, 1: 224

Type-locality: Bhutan: Changra, 18 km South from Tongsa

Aedoeagus: fig. 3 in description.

Autoserica festina Brenske

1898 — *Berl.Ent.Zeitschr.*, 43: 296

Type-locality: Darjeeling.

Records: Maldah [1]

References: [1] BARLOW, 1899 - *Indian Mus. Notes*, 4: 243

Autoserica forsteri Frey

1965 — *Ergebn. Forsch.-Unternehmen Nepal Himalaya*, 2: 89

Type-locality: Nepal: Sun-Khosi-Tal

Aedoeagus: fig. 2 in description.

Autoserica fumosa (Brenske)

1898 — *Berl. Ent. Zeitschr.*, 43: 306 (*Serica*)

Type locality and Records: U.P.: Dehra Dun [1]

References: [1] BARLOW, 1899 - *Indian Mus. Notes*, 4: 243

Autoserica himalayica Brenske

1896 — *Ann. Soc. Ent. Belg.*, 40: 152

Type-locality: Darjeeling: Kurseong.

Records: Sikkim [1]; Bhutan [2]; Nepal: Kathmandu [3]; Nepal Janakpur: Jiri, Mt. Hanumanti [3]; Nepal: Janakpur, Thos [3]

References: [1] BARLOW, 1899 - *Indian Mus. Notes*, 4: 243; [2] FREY, 1975 - *Entomologica Basiliensia*, 1: 240; [3] SABATINELLI & MIGLIACCIO, 1982 - *Boll. Soc. ent. ital.*, 114: 104

Autoserica indica (Blanchard)

1850 — *Cat. Coll. Ent.*, 1: 77 (*Omaloptia*)

Type-locality: Tamil Nadu: Pondicherry.

Records: Jammu & Kashmir: Srinagar [1]

References: [1] BARLOW, 1899 - *Indian Mus. Notes*, 4: 244

Autoserica inermis Brenske

1898 — *Berl. Ent. Zeitschr.*, 43: 332

Type-locality: Assam

Autoserica interrogator (Arrow)

1946 — *Ann. Mag. nat. Hist.*, (11) 13: 267 (*Aserica*)

Type-locality: U.P.: W. Almora, Kumaon

Autoserica iridescens (Blanchard)

1850 — *Cat. Coll. Ent.*, 1: 77 (*Omaloptia*)

Type-locality: Bengal

Autoserica labulensis Moser

1919 — *Stett. Ent. Z.*, 80: 330

Type-locality: H.P.: Lahul

Autoserica lugubris Brenske

1896 — *Ann. Soc. Ent. Belg.*, 40: 152

Type-locality: Bengal: Barway, Tetara.

Records: West Bengal: Murshidabad [1]; Bihar: Ranchi [1]

References: [1] BARLOW, 1899 - *Indian Mus. Notes*, 4: 244

Autoserica maxima Brenske

1898 — *Berl. Ent. Zeitschr.*, 43: 252

Type-locality: Bengal

Autoserica modestula Brenske1902 — *Berl.Ent.Zeitschr.*, 47: 62

Type-series localities: Darjeeling: Kurseong [1]; Nepal: Ropti tal Jhavani (neotype) [2]

Aedoeagus: fig. 21 [2]

References: [1] BRENSKE, 1896 - *Ann.Soc.Ent.Belg.*, 40: 156 (*Serica modesta* Brsk., 1896); [2] FREY, 1972 - *Ent.Arb.Mus.Frey*, 23: 190 (neotype)*Autoserica nepalensis* Frey1965 — *Ergebn.Forsch.-Unternehmen Nepal Himalaya*, 2: 89

Type-series localities: Nepal: Balephi Bazar (holotype); Bhimpedi-Tal (allotype); Sun-Kosi-Tal (paratype); Bapti-Tal (paratype)

Aedoeagus: fig. 4 in description.

Autoserica ornatipennis Moser1915 — *Stett.Ent.Z.*, 76: 161

Type-locality: Himalaya

Autoserica problematica (Arrow)1946 — *Ann.Mag.nat.Hist.*, (11) 13: 269 (*Aserica*)

Type-locality: Darjeeling: Phoobsering, Lebong

Autoserica pruinosa (Burmeister)1855 — *Handb.Ent.*, 4 (2): 165 (*Serica*)

Type-locality: Himalaya

Records: Devikulam [1]; Trevandrum [1]; Harimutti [1]; Bhutan [2]

Aedoeagus: fig. 3 [3]

References: [1] BARLOW, 1899 - *Indian Mus.Notes*, 4: 245; [2] FREY, 1975 - *Entomologica Basiliensia*, 1: 240; [3] FREY, 1965 - *Ergebn.Forsch.-Unternehmen Nepal Himalaya*, 2: 89*Autoserica rufoplagiata* (Fairmaire)1893 — *Ann.Soc.Ent.Belg.*, 37: 305 (*Omaloptia*)

Type-locality: North Tonkin

Records: Bhutan [1]

References: [1] FREY, 1975 - *Entomologica Basiliensia*, 1: 240*Autoserica schenklingi* Moser1918 — *Stett.Ent.Z.*, 79: 214

Type-locality: Meghalaya: Khasi Hills

Autoserica schereri Frey1975 — *Ent.Arb.Mus.Frey*, 26: 183

Type-locality: Darjeeling

Aedoeagus: fig. 4 in description.

Autoserica sempiterna Brenske1898 — *Berl.Ent.Zeitschr.*, 43: 328

Type-locality: and Records: Meghalaya: Khasi Hills [1]

References: [1] BARLOW, 1899 - *Indian Mus.Notes*, 4: 246*Autoserica servitrita* Brenske1898 — *Berl.Ent.Zeitschr.*, 43: 337

Type-locality: Assam

Autoserica setosa (Brenske)1896 — *Ann.Soc.Ent.Belg.*, 40: 153 (*Serica*)

Type-locality: Bengal: Kondir, Tetara

Autoserica severini (Brenske)1896 — *Ann.Soc.Ent.Belg.*, 40: 153 (*Serica*)

Type-locality: Bengal: Konbir.

Records: Karnataka: Bangalore [1]

References: [1] BARLOW, 1899 - *Indian Mus.Notes*, 4: 246*Autoserica significabilis* Brenske1902 — *Berl.Ent.Zeitschr.*, 47: 62

Type-locality and Records: Assam [1]

References: [1] BRENSKE, 1897 - *Berl.Ent.Zeitschr.*, 42: 326 (*A.significans* Brsk., 1897)*Autoserica sikkimensis* Brenske1898 — *Berl.Ent.Zeitschr.*, 43: 305

Type-locality: Sikkim [1].

Records: Darjeeling [1]

References: [1] BARLOW, 1899 - *Indian Mus.Notes*, 4: 246*Autoserica simlana* Brenske1898 — *Berl.Ent.Zeitschr.*, 43: 302

Type-locality: H.P.: Simla

Autoserica subspinosa Brenske1898 — *Berl.Ent.Zeitschr.*, 43: 245 (female)

Type-locality: Bengal

Autoserica umbilicata Brenske1898 — *Berl.Ent.Zeitschr.*, 43: 303

Type-locality: Sikkim

Autoserica umbratica Brenske1898 — *Berl.Ent.Zeitschr.*, 43: 303

Type-locality: Sikkim

Autoserica unctiuscula Brenske1898 — *Berl.Ent.Zeitschr.*, 43: 304 (female)

Type-locality: Sikkim

Cephaloserica bhutanensis Frey1975 — *Entomologica Basiliensia*, 1: 229

Type-locality: Bhutan: Samchi

Aedoeagus: fig. 9 in description.

Cephaloserica dierli Frey1969 — *Ent.Arb.Mus.Frey*, 20: 522

Type-locality: Nepal: East Jiri.

Records: Bhutan [1]

Aedoeagus: fig. 3 in description.

References: [1] FREY, 1975 - *Entomologica Basiliensia*, 1: 240

Cephaloserica opaca Frey

1975 - *Entomologica Basiliensia*, 1: 229

Type-locality: Bhutan: Samchi

Cephaloserica quinquidens (Brenske)

1896 — *Ann.Soc.Ent.Belg.*, 40: 153 (*Serica*)

Type-locality: Bengal: Mandar, Barway

Records: Bhutan [1]

References: [1] FREY, 1975 - *Entomologica Basiliensia*, 1: 240

Cephaloserica schereri Frey

1962 — *Ent.Arb.Mus.Frey*, 13: 613

Type-locality: Meghalaya: Khasi Hills, Cerrapunjee

Cephaloserica thomsoni Brenske

1894 — *Mém.Soc.Ent.Belg.*, 2: 55 (*Serica*)

Type-locality: India

Records: H.P.: Kulu [1]; H.P.: Kangra, Bajaura [2]; Kapa [2]; Bhutan [3]

References: [1] 1902 - *Berl.Ent.Zeitschr.*, 47: 69 (*C.phthisica* Brsk., 1902); [2] ARROW, in BABAULT, 1921 - *Miss.prov.cent.Inde et reg.occ.Himalaya*, Lamellicornes: 6 (*C.phthisica* Brsk.); [3] FREY, 1975 - *Entomologica Basiliensia*, 1: 240 (*C.phthisica* Brsk.)

Chaetoserica cymosa (Brenske)

1896 — *Ann.Soc.Ent.Belg.*, 40: 154 (*Serica*)

Type-locality: Darjeeling: Kurseong

Chrysoserica auricomma (Brenske)

1896 — *Ann.Soc.Ent.Belg.*, 40: 154 (*Serica*)

Type-locality: Darjeeling: Kurseong

Records: Nepal Janakpur: Jiri to Those [1]

References: [1] SABATINELLI & MIGLIACCIO, 1982 - *Boll.Soc.ent.ital.*, 114: 104

Chrysoserica gigantea Brenske

1898 — *Berl.Ent.Zeitschr.*, 43: 316

Type-locality and Records: Meghalaya: Khasi Hills [1]

References: [1] Barlow, 1899 - *Indian Mus.Noies*, 4: 243

Gynaecoserica minutula Brenske

1894 — *Mém.Soc.Ent.Belg.*, 2: 50

Type-locality: India

Records: Darjeeling: Kurseong [1]; Phoobsring [2]

References: [1] BRENSKE, 1896 - *Ann.Soc.Ent.Belg.*, 40: 154 (*Serica plecta* Brsk., 1896); [2] KHAN & GHAI, 1982 - *Bull.Ent.*, 23: 61 (*Gynaecoserica plecta* (Brsk., 1896))

Hemiserica mayarami Khan & Ghai

1980 — *Bull.Ent.*, 21: 42

Type-series localities: Delhi, Palam; Mayam Ram.

Hemiserica pallida Arrow

1945 — *Ann.Mag.nat.Hist.*, (11) 12: 119

Type-locality: North West India

Lasioserica calva (Brenske)

1896 — *Ann.Soc.Ent.Belg.*, 40: 155 (*Serica*)

Type-locality: Darjeeling: Kurseong

Records: Sikkim [1]

References: [1] BARLOW, 1899 - *Indian Mus.Notes*, 4: 241

Lasioserica costulata Frey

1969 — *Ent.Arb.Mus.Frey*, 20: 518 (female)

Type-locality: Nepal: E.Jubing

Lasioserica insperata Brenske

1898 — *Berl.Ent.Zeitschr.*, 43: 357

Type-locality: Meghalaya: Khasi Hills

Lasioserica lata Frey

1975 — *Entomologica Basiliensia*, 1: 239 (female)

Type-locality: Bhutan: Phuntsoling

Lasioserica latesquamosa Frey

1975 — *Entomologica Basiliensia*, 1: 230

Type-locality: Bhutan: Dorjula

Aedoeagus: fig. 10 in description.

Lasioserica maculata (Brenske)

1894 — *Mém.Soc.Ent.Belg.*, 2: 49 (*Serica*)

Type-locality: [1] India

Records: Bengal [1]; Sikkim [2]; Darjeeling [3]; Bhutan [4]; Nepal Janakpur: Jiri to Thodung [6]

Aedoeagus: fig. 1 b [3]

References: [1] BRENSKE, 1896 - *Ann.Soc.Ent.Belg.*, 40: 155 (*Serica maculata* v. *braeti* Brsk., 1896); [2] BARLOW,

1899 - *Indian Mus.Notes*, 4: 241 (*Serica braeti* Brsk., 1896); [3] FREY, 1962 - *Ent.Arb.Mus.Frey*, 13: 132;

[4] FREY, 1975 - *Entomologica Basiliensia*, 1: 240; [6] SABATINELLI & MIGLIACCIO, 1982 - *Boll.Soc.ent.ital.*,

114: 104

Lasioserica nobilis (Brenske)

1894 — *Mém.Soc.Ent.Belg.*, 2: 48 (*Serica*)

Type-locality: Sikkim

Records: Darjeeling [1]

References: [1] FREY, 1962 - *Ent.Arb.Mus.Frey*, 13: 132

Lasioserica pilosa Moser

1919 — *Stett.Ent.Z.*, 80: 332

Type-series localities: H.P.: Lahul; H.P.: Kulu

Lasioserica pilosella (Brenske)

1896 — *Ann.Soc.Ent.Belg.*, 40: 155 (*Serica*)

Type-locality: Darjeeling: Kurseong

Records: Sikkim [1]

References: [1] BARLOW, 1899 - *Indian Mus.Notes*, 4: 242

- Lasioserica schereri* Frey
1962 — *Ent.Arb.Mus.Frey*, 13: 132
Type-locality: Darjeeling
Aedoeagus: fig. 1 c in description.
- Lasioserica thoracica* Brenske
1898 — *Berl.Ent.Zeitschr.*, 43: 311
Type-locality: Darjeeling
- Lasioserica variipennis* Moser
1916 — *Deutsche Ent.Zeitschr.*: 153
Type-locality: Sikkim
- Lasioserica wuermlii* Frey
1975 — *Entomologica Basiliensia*, 1: 231
Type-series localities: Bhutan: Timphu; Bhutan: 87 km Phuntsholing-Thimphu; Bhutan: 18 km South from Tongsa
Aedoeagus: fig. 11 in description.
- Leucoserica assamensis* Frey
1962 — *Ent.Arb.Mus.Frey*, 13: 612
Type-locality: Meghalaya: Khasi Hills, Shillong
- Leuroserica fulgida* Arrow
1946 — *Ann.Mag.nat.Hist.*, (11) 13: 281
Type-locality: Darjeeling: Gopaldhara, Rungbong valley, Kurseong
- Leuroserica lateralis* Arrow
1946 — *Ann.Mag.nat.Hist.*, (11) 13: 282
Type-locality: Meghalaya: Upper Shillong
- Maladera truncata* Mittal
1976 — *New York Ent.Soc.*, 84: 180 (*Maladera truncatus*)
Type-series localities: Haryana: Kurukshetra; Haryana: Chandigarh
Aedoeagus: fig. 1 (poorly) in description.
- Microserica affinis* Arrow
1946 — *Ann.Mag.nat.Hist.*, (11) 13: 272
Type-series localities: Meghalaya: Sadiya, Patkai Hills; Meghalaya: Khasi Hills; North Assam: Kobo, Abor; North Assam: Lakhimpur; Burma: Kharen Hills
- Microserica bhutanensis* Frey
1975 — *Entomologica Basiliensia*, 1: 227
Type-locality: Bhutan: 87 km Phuntsholing-Thimphu
Aedoeagus: fig. 8 in description.
- Microserica cribriceps* Moser
1915 — *Stett.Ent.Z.*, 76: 183
Type-locality: Sikkim
- Microserica flavoviridis* (Brenske)
1896 — *Ann.Soc.Ent.Belg.*, 40: 154 (*Serica*)

Type-locality: Bengal: Barway (false [1])
 Records: S.India [1]; Karnataka: Belgaum [1]
 References: [1] ARROW, 1946 - *Ann.Mag.nat.Hist.*, (11) 13:

Microserica bellmichi Frey

1965 — *Ergebn.Forsch.-Unternehmen Nepal Himalaya*, 2:91
 Type-locality and Records: Nepal Janakpur: Jiri [1]
 Aedoeagus: fig. 8 in description; fig. 1 [1]
 References: [1] SABATINELLI & MIGLIACCIO, 1982 - *Boll.Soc.ent.ital.*, 114: 104

Microserica hispidula Frey

1975 — *Entomologica Basiliensia*, 1: 226
 Type-locality: Bhutan: Tongsa
 Aedoeagus: fig. 7 in description.

Microserica kurseongana Moser

1915 — *Stett.Ent.Z.*, 76: 182
 Type-locality: Darjeeling: Kurseong

Microserica longefoliata Frey

1965 — *Ergebn.Forsch.-Unternehmen Nepal Himalaya*, 2: 92
 Type-locality: Nepal: Ting-Seng-La.
 Records: Nepal: Ringmo [1]; Nepal: Mt.Hanumanti [2]
 Aedoeagus: fig. 9 (wrong !) in description; fig. 2 [2]
 References: [1] FREY, 1969 — *Ent.Arb.Mus.Frey*, 20: 521 (*M.janetscheki* Frey, 1969); [2] SABATINELLI & MIGLIACCIO, 1982 *Boll.Soc.ent.ital.*, 114: 104

Microserica marginata (Brenske)

1896 — *Ann.Soc.Ent.Belg.*, 40: 154 (*Serica*)
 Type-locality: Darjeeling: Kurseong

Microserica pleophylla (Burmeister)

1855 — *Handb.Ent.*, 4 (2): 170 (*Serica*)
 Type-locality: Java
 Records: Darjeeling [1]
 References: [1] BRENSKE, 1855 - *Berl.Ent.Zeitschr.*, 4: 187

Microserica quadripunctata (Brenske)

1896 — *Ann.Soc.Ent.Belg.*, 40: 154 (*Serica*)
 Type-locality: Bengal: Tetara, Konbir

Microserica semirufa Brenske

1898 — *Berl.Ent.Zeitschr.*, 43: 320
 Type-locality: Jammu & Kashmir: Ladak Spiti

Microserica stemmleri Frey

1975 — *Entomologica Basiliensia*, 1: 225
 Type-locality: Bhutan: Phuntsholing-Thimphu
 Aedoeagus: fig. 4 in description.

Microserica truncata (Brenske)

1898 — *Berl.Ent.Zeitschr.*, 43: 305 (female) (*Autoserica*)

Type-locality: Darjeeling

Records: Sikkim [1]; Mungphu [1]

References: [1] BARLOW, 1899 - *Indian Mus. Notes*, 4: 246

Microserica viridicollis Arrow

description not found but mentioned in [1]

Records: Assam [1]

References: [1] ARROW, 1946 - *Ann. Mag. nat. Hist.*, (11) 13: 270

Neoserica kashmirensis Moser

1919 — *Stett. Ent. Z.*, 80: 331

Type-locality: Jammu & Kashmir: Uri

Neoserica marginipes (Brenske)

1896 — *Ann. Soc. Ent. Belg.*, 40: 155 (*Serica*)

Type-locality: Darjeeling: Kurseong

Records: Bhutan [1]

References: [1] FREY, 1975 - *Entomologica Basiliensia*, 1: 240

Meoserica miniatula Moser

1915 — *Stettiner Ent. Z.*, 76: 171

Type-locality: Pegu (Calcutta?)

Neoserica quadriflabellata Brenske

1896 — *Ann. Soc. Ent. Belg.*, 40: 154

Type-locality: Bengal: Konbir, Tetara

Neoserica quadrilamellata (Brenske)

1896 — *Ann. Soc. Ent. Belg.*, 40: 154 (*Serica*)

Type-locality: Bengal: Mandar

Neoserica quinqueflabellata (Brenske)

1896 — *Ann. Soc. Ent. Belg.*, 40: 153 (*Serica*)

Type-locality: Bengal: Tetara

Neoserica speciosa Brenske

1898 — *Berl. Ent. Zeitschr.*, 43: 353

Type-locality: Assam: Dibrugarh

Neoserica uniformis Moser

1920 — *Stett. Ent. Z.*, 81: 5

Type-locality: Assam

Nepaloserica procera Frey

1965 — *Ergebn. Forsch.-Unternehmen Nepal Himalaya*, 2: 88

Type-series locality and Records: Nepal: Likhu-Kola-Tal; Nepal: Thodung [1]

Aedoeagus: fig. 1 in description.

References: [1] SABATINELLI & MIGLIACCIO, 1982 - *Boll. Soc. ent. ital.*, 114: 104

Nepaloserica rufescens Frey

1966 — *Ergebn. Forsch.-Unternehmen Nepal Himalaya*, 3: 182

Type-locality: Nepal: Manangbhot, Sabsi Chu

Records: Bhutan [1]

Aedoeagus: fig. 1 in description.

References: [1] FREY, 1975 - *Entomologica Basiliensia*, 1: 240

Nepaloserica similis Frey

1969 — *Ent.Arb.Mus.Frey*, 20: 520

Type-locality: Nepal: East of Jubing

Pachyserica albosquamosa Brenske

1898 — *Berl.Ent.Zeitschr.*, 43: 356

Type-locality: Meghalaya: North Khasi

Records: Assam [1]; Bhutan [2]

References: [1] ARROW, 1946 - *Ark.Zool.*, 38: 17; [2] FREY, 1975 - *Entomologica Basiliensia*, 1: 240

Pachyserica marmorata (Blanchard)

1850 — *Cat.Coll.Ent.*, 1: 77 (*Omaloptia*)

Type-locality: N.India

Records: Assam: Sibsagar, S.E.Peal [1]; Nepal Janakpur: Jiri via Those [2]

References: [1] BARLOW, 1899 - *Indian Mus.Notes*, 4: 245; [2] - SABATINELLI & MIGLIACCIO, 1982 - *Boll.Soc.ent.ital.*, 114: 104

Pachyserica polyphylla Moser

1920 — *Stett.Ent.Z.*, 81: 10

Type-locality: Assam

ParagynaecosERICA pubescens Khan & Ghai

1982 — *Bull.Ent.*, 23: 61

Type-locality: Sikkim

Aedoeagus: fig. 2 (poorly) in description.

Serica argentata Frey

1975 — *Entomologica Basiliensia*, 1: 223

Type-locality: Bhutan: 21 km East Wangdi Phodrang

Aedoeagus: fig. 1 in description.

Serica duvivieri Brenke

1896 — *Ann.Soc.Ent.Belg.*, 40: 152

Type-locality: Darjeeling: Kurseong

Serica ferrugata Blanchard

1850 — *Cat.Coll.Ent.*, 1: 78

Type-locality: North India

Serica ferruginea Redtenbacher

1849 — in HUGEL, *Reise in Kashmir*, 4: 525

Type-locality: Kashmir

Records: Maldah [1]; Gilgit [1]

References: [1] BARLOW, 1899 - *Indian Mus.Notes*, 4: 243

Serica khajiaris Mittal

1988 — *Reichenbachia*, 25: 155

Type-locality: H.P.: Khajiar

Serica laminipes Moser1915 — *Stett.Ent.Z.*, 76: 147

Type-locality: Bengal

Serica maculifera Brenske1898 — *Berl.Ent.Zeitschr.*, 43: 260

Type-locality: Sri Lanka;

Records: Meghalaya: Kashi Hills [1]

References: [1] BRENSKE, 1894 - *Mém.Soc.Ent.Belg.*, 2: 54*Serica nagana* Brenske1899 — *Indian Mus.Notes*, 5: 176

Type-locality: Nagaland: Naga Hills

Serica rufocuprea (Blanchard)1850 — *Cat.Coll.Ent.*, 1: 77 (*Omaloptia*)

Type-locality: N.India

Records: Meghalaya: Shillong [1]

References: [1] BARLOW, 1899 - *Indian Mus.Notes*, 4: 246*Serica rustica* Brenske1896 — *Ann.Soc.Ent.Belg.*, 40: 153

Type-locality: Bengal: Barway

Trichoserica eberti Frey1965 — *Ergebn.Forsch.-Unternehmen Nepal Himalaya*, 2: 90

Type-series localities: Nepal: Bi-Khola-Tal; Nepal: Khumbu; Thodung

Records: Bhutan [1]

Aedoeagus: fig. 5 in description.

References: [1] FREY, 1975 - *Entomologica Basiliensia*, 1: 240*Trichoserica khasiana* (Moser)1918 — *Stett.Ent.Z.*, 79: 210 (*Ophthalmoserica*)

Type-locality: Meghalaya: Khasi Hills

Trichoserica nepalensis Frey1969 — *Ent.Arb.Mus.Frey*, 20: 519

Type-locality: Nepal: East Jubing

Records: Bhutan [1]

Aedoeagus: fig. 1 in description.

References: [1] 1975 - *Entomologica Basiliensia*, 1: 240*Trichoserica olivacea* (Brenske)1896 — *Ann.Soc.Ent.Belg.*, 40: 155 (*Serica*)

Type-locality: Darjeeling: Kurseong

Trichoserica sherpa Sabatinelli & Migliaccio1982 — *Boll.Soc.ent.ital.*, 114: 106

Type-locality: Nepal Janakpur: Thodung

Aedoeagus: fig. 7 in description.

Trichoserica tibetana (Brenske)1897 — *Berl.Ent.Zeitschr.*, 42: 395 (*Serica*)

Type-locality: Tibet

Records: Nepal: Thodung [1]

Aedoeagus: fig. 7 [2]

References: [1] SABATINELLI & MIGLIACCIO, 1982 - *Boll.Soc.ent.ital.*, 114: 104 (*O.tibetana* Brenske, 1897 sensu Frey, 1965); [2] FREY, 1965 - *Ergebn.Forsch.-Unternehmen Nepal Himalaya*, 2: 91*Trichoserica umbrina* (Blanchard)1850 — *Cat.Coll.Ent.*, 1: 77 (*Omaloptia*)

Type-locality: India

Records: Meghalaya: Kashi Hills [1]; Bhutan [2]

Aedoeagus: fig. 6 [2]

References: [1] BARLOW, 1899 - *Indian Mus.Notes*, 4: 247; [2] FREY, 1975 - *Entomologica Basiliensia*, 1: 240*Trichoserica umbrinella* Brenske1898 — *Berl.Ent.Zeitschr.*, 43: 288

Type series localities and Records: H.P.: Kulu; Darjeeling; Sikkim [1]

References: [1] BARLOW, 1899 - *Indian Mus.Notes*, 4: 242*Nomina nuda*

HOPLINI

Ectinobopia nigra Brenske 1899 — in BARLOW, *Indian Mus.Notes*, 4: 238 (from Meghalaya: Khasi Hills)*Ectinobopia rufipes* Brenske 1899 — in BARLOW, *Indian Mus.Notes*, 4: 238 (from India)

DIPLTAXINI

Apogonia angustata Brenske 1899 — in BARLOW, *Indian Mus.Notes*, 4: 250 (from: West Bengal: Berhampur)*Apogonia carinata* Brenske 1899 — in BARLOW, *Indian Mus.Notes*, 4: 251 (from West Bengal: Berhampur, Murshidabad)

MELOLONTHINI

Cyphochilus sikkimensis Brenske 1899 — in BARLOW, *Indian Mus.Notes*, 4: 256 (from Sikkim)*Holotrichia nigropunctata* Brenske 1899 — in BARLOW, *Indian Mus.Notes*, 4: 259 (from Assam)*Holotrichia scutellata* Brenske 1899 — in BARLOW, *Indian Mus.Notes*, 4: 261 (from India)*Hoplosternus shillongensis* Brenske 1899 — in BARLOW, *Indian Mus.Notes*, 4: 270 (from Meghalaya: Shillong)

SERICINI

Serica adnexa Brenske 1899 — in BARLOW, *Indian Mus.Notes*, 4: 242 (from Meghalaya: Kashi Hills; Nagaland: Naga Hills)*Serica maculosa* Brenske 1899 — in BARLOW, *Indian Mus.Notes*, 4: 245 (from Nagaland: Naga Hills; N.E. frontier India)*Serica tridens* Brenske 1899 — in BARLOW, *Indian Mus.Notes*, 4: 246 (from Nagaland: Naga Hills)*Species generically indicated as collected from India*

MACRODACTYLINI

Dichelomorpha alsiosia (Blanchard) 1850 — *Cat.Coll.Ent.*, 1: 96 (*Dejeania*)

HOPLIINI

- Dichelboplia indica* Blanchard, 1850 — *Cat.Coll.Ent.*, 1: 68
Ectinoboplia suturalis Borre, 1886 — *Ann.Soc.Ent.Belg.*, 30: 85
Hoplia squamiventris Burmeister, 1855 — *Handb.Ent.*, 4 (2): 486

DIPLOTAXINI

- Apogonia granum* Burmeister, 1855 — *Handb.Ent.*, 4 (2): 258
Apogonia indica Ritzema, 1890 — *Tijdschr.v.Ent.*, 33: 336
Apogonia metallica Blanchard, 1850 — *Cat.Coll.Ent.*, 1: 228
Apogonia punctata Ritzema, 1890 — *Tijdschr.v.Ent.*, 33: 336

MELOLONTHINI

- Asactopholis bicolor* (Sharp, 1876) — *Col.Hefte*, 15: 78 (*Lepidiota*)
Cyphochilus cylindricus Brenske, 1903 — *Ins.-Borse*, 20: 381 (female)
Cyphonoxia zemindar (Sharp, 1876) — *Col.Hefte*, 15: 85 (*Cyphonotus*)
Holocnemus tomentosus Brenske, 1894 — *Mém.Soc.Ent.Belg.*, 2: 77
Holomelia mirabilis Brenske, 1891 — *Ent.Nachr.*, 17: 314
Holotrichia bruneipennis Moser, 1916 — *Deutsche Ent.Zeitschr.*: 186
Holotrichia glabriclypeata Brenske, 1892 — *Berl.Ent.Zeitschr.*, 37: 161
Holotrichia plagiata Brenske, 1892 — *Berl.Ent.Zeitschr.*, 37: 185 (female)
Holotrichia scrobipennis Brenske, 1899 — *Indian Mus.Notes*, 4: 178
Madotrogus palpalis Moser, 1924 — *Stett.Ent.Z.*, 84: 133
Lepidiota crenaticollis Brenske, 1892 — *Berl.Ent.Zeitschr.*, 37: 43
Lepidiota luctuosa Blanchard, 1850 — *Cat.Coll.Ent.*, 1: 157
Lepidiota pumila Sharp, 1876 — *Col.Hefte*, 15: 76
Leucopholis aberrans Sharp, 1876 — *Col.Hefte*, 15: 81
Leucopholis coneophora Burmeister, 1855 — *Handb.Ent.*, 4 (2): 303
Leucopholis plagiata Blanchard, 1850 — *Cat.Coll.Ent.*, 1: 158

SERICINI

- Autoserica franklinmuelleri* Moser, 1925 — in KLEINE, SPAETH & MOSER, *Ent.Mitt.Berlin*, 14: 56
Autoserica globosa (Herbst, 1790) — *Kaf.*, 3: 92 (*Melolontha*)
Autoserica globus (Burmeister, 1855) — *Handb.Ent.*, 4 (2): 165 (*Serica*)
Autoserica granuligera (Blanchard, 1850) — *Cat.Coll.Ent.*, 1: 78 (*Omaloptia*)
Autoserica ignava (Brenske, 1894) — *Mém.Soc.Ent.Belg.*, 2: 39 (*Serica*)
Autoserica insanabilis (Brenske, 1894) — *Mém.Soc.Ent.Belg.*, 2: 37 (*Serica*)
Autoserica marginella (Hope, 1831) — in GRAY'S, *Zool.Misc.*: 24 (*Serica*)
Autoserica mutabilis (Olivier, 1789) — *Entom.*, 1: 51 (*Melolontha*)
Autoserica proxima (Burmeister, 1855) — *Handb.Ent.*, 4 (2): 165 (*Serica*)
Autoserica tarsata Brenske, 1894 — *Mém.Soc.Ent.Belg.*, 2: 41 (*Serica*)
Autoserica tyrannica (Brenske, 1894) — *Mém.Soc.Ent.Belg.*, 2: 38 (*Serica*)
Calloserica tigrina Brenske, 1894 — *Mem.Soc.Ent.Belg.*, 2: 56
Serica setifera Gyllenhal, 1817 — in SCHOEN., *Syn.Ins.*, 1, app.: 95
Serica setigera Brenske, 1894 — *Mém.Soc.Ent.Belg.*, 2: 54
Serica sphaerica Burmeister, 1855 — *Handb.Ent.*, 4 (2): 172
Serica ventriosa Brenske, 1894 — *Mem.Soc.Ent.Belg.*, 2: 43

Species indicated as collected from Tibet

MACRODACTYLINI

- Diphycerus jucundus* Arrow 1920 — *Ann.Mag.nat.Hist.*, (9) 6: 452 (from Siao-Lou)

HOPLIINI

- Ectinohoplia triplagiata* Fairmaire 1897 — *Notes Leyden Mus.*, 19: 211 (from Hoang-Ho valley)
Hoplia reitteri Dalla Torre 1912 — *Col.Cat.*, 50: 380 (*H.fuliginosa* Reitter, 1899)
Hoplia tibetana Dalla Torre 1912 — *Col.Cat.*, 50: 382 (*H.oculata* Reitter, 1899)

MELOLONTHINI

- Brahmina clypealis* Moser 1915 — *Deutsche Ent.Zeitschr.*: 142 (from Poo)
Brahmina nasulata Arrow 1944 — *Ann.Mag.nat.Hist.*, (11) 11: 639 (from Gyantse, Tengkyia, Shekar, Kyisong, Ling-ka)
Brahmina tibetana Arrow 1944 — *Ann.Mag.nat.Hist.*, (11) 11: 640 (from Tingri, Jikkyop, Gyantse)
Melolontha tenuicauda Fairmaire 1896 — *Notes Leyden Mus.*, 18: 87 (from Se-Pin)
Melolontha tricosata Brenske 1903 — *Munch.Kol.Zeitschr.*, 1: 335 (from Kukunor)
Metabolus tibetanus Moser 1914 — *Ann.Soc.Ent.Belg.*, 58: 71 (from Poo)

SERICINI

- Serica costulata* Moser 1915 — *Stettiner Ent.Z.*, 76: 148 (from Poo)

BIBLIOGRAPHY

- ANAND R.K., 1988 — On Genus *Cyphonoxia* Reitter, with Description of a New species from India - *Reichenbachia*, 26: 15-18.
ARROW G.J., 1919 - III. - Systematic Notes on a few Melolonthinae Coleoptera — *Ann.Mag.N.Hist.Ser.9*, 4: 21-29.
—, 1920 - LI. - On the Oriental Members of the Coleopterous Group Macroductylides (Melolonthidae) *Ann.Mag.N.Hist. Ser.9*, 6: 441-455.
—, 1921 — in BABAULT, Mission Guy Babault dans les provinces centrales de l'Inde et dans la région occidentale de l'Himalaya (1914). Insectes Coléoptères, Lamellicornes, Melolonthinae, Rutelinae, Dynastinae -, 1-16, Paris.
—, 1921 — A Revision of the Melolonthinae Beetles of the Genus *Ectinohoplia* - *Proc.Zool.Soc.Lond.*, 19: 267-276.
—, 1944 — LV. - Systematic Notes on Melolonthine Beetles belonging to *Holotrichia* and related genera *Ann.Mag.N.Hist. Ser.11*, 11: 631-648.
—, 1944 — The Asiatic beetles of the Melolonthinae genus *Schizonycha* — *Ann.Mag.n.Hist. Ser.11*, 11: 194-200.
—, 1945 — On the Melolonthinae Beetles of the Genus *Hemiserica*, including a few new species — *Ann.Mag.N.Hist. Ser.11*, 12: 117-121.
—, 1946 — Entomological Results from the Swedish Expedition 1934 to Burma and British India - *Ark.Zool.*, 38 (A): 1-33.
—, 1946 — Notes on Aserica and some related Genera of Melolonthine Beetles, with descriptions of new Species and two new Genera - *Ann.Mag.N.Hist. Ser.11*, 13: 264-283.
—, 1948 — Further notes on the beetles genus *Lachnosterna* (Col. : Melolonthinae), with descriptions of three new genera — *Proc.R.Ent.Soc.Lond.*, 17: 49-54.
BARLOW E., 1899 — List of the Melolonthini contained in the collection of the Indian Museum — *Indian Mus.Notes*, 4: 236-273.
BATES H.W., 1891 — Coleoptera from Kulu in N.W. India — *Ent.*, 24, suppl.: 7-22.
BRENSKE E., 1892 — Beitrag zur Kenntnis der Gattungen *Lepidiota* und *Leucopholis* - *Berl.Ent.Z.*, 37: 33-62.
—, 1892 — Neue Arten der Coleopteren-Gattung *Holotrichia* (*Lachnosterna*) - *Berl.Ent.Z.*, 37: 159-192.
—, 1892 — Die Arten der Coleopteren-Gattung *Brahmina* Bl. - *Berl.Ent.Z.*, 37: 79-124.

- , 1894 — Die Melolonthiden der palaearctischen und orientalischen Region im Koeniglichen naturhistorischen Museum zu Brussel - *Mém.Soc.Ent.Belgique*, 2: 1-87.
- , 1896 — Neue Coleopteren-Gattungen und -Arten aus Madagascar, Africa und Asien, zur Familie der Melolonthiden gehorend - *Berl.Ent.Z.*, 41: 339-363.
- , 1896 — Insectes du Bengale. Melolonthidae *Ann.Soc.Ent.Belg.*, 40: 150-164.
- , 1896 — Neue Melolonthiden aus Africa und Asien *Stett.Ent.Z.*, 57: 178-205.
- , 1897 — Die *Serica*-Arten der Erde - *Berl.Ent.Z.*, 42: 345-468.
- , 1898 — Einige neue Melolonthiden - *Stett.Ent.Z.*, 59: 236-248.
- , 1898 — Die *Serica*-Arten der Erde. B: Orientalische Region - *Berl.Ent.Z.*, 43: 205-403.
- , 1899 — Diagnoses Melolonthidarum novarum ex India Orientali — *Indian Mus.Notes*, 4: 176-179.
- , 1902 — Die *Serica*-Arten der Erde - *Berl.Ent.Z.*, 47: 1-70.
- , 1903 — Drei neue Melolonthiden-Gattungen und Arten vom Kukulunor - *Munchen.Kol.Z.*, 1: 333-335.
- , 1903 — Neue Arten der Melolonthiden-Gattung *Cyphochilus* - *Ins.-Borse*, 20: 380-381.
- FAIRMAIRE L., 1896 — Note XII. Coléoptères de l'Inde boreale, Chine et Malaisie - *Notes Leyden Museum*, 18: 81-90.
- , 1897 — Description de coléoptères nouveaux de la Malaisie, de l'Inde et de la Chine - *Notes Leyden Museum*, 19: 209-215.
- FREY G., 1962 — Neue Sericinen aus meinem Museum, nebst Bestimmungstabelle der Gattung *Lasioserica* (col.Lamell.) - *Ent.Arb.Mus.Frey*, 13: 132-137.
- , 1962 — Neue Melolonthiden aus Asien und Ostafrika (Col.) - *Ent.Arb.Mus.Frey*, 13: 608-615.
- , 1966 — Eine neue *Serica*-Art aus dem Himalaya-Staat Nepal (Col.) - *Ergebn.Forsch.Unternehmen Nepal Himalaya*, 3: 182-183.
- , 1969 — Neue Melolonthiden aus Nepal - *Ent.Arb.Mus.Frey*, 20: 518-525.
- , 1971 — Neue Ruteliden und Melolonthiden aus Indien und Indochina (Col.) - *Ent.Arb.Mus.Frey*, 22: 109-133.
- , 1971 — Bestimmungstabelle der indischen und ceylonesischen Arten der Gattung *Holotrichia* Hope (Col.,Melolonth.) - *Ent.Arb.Mus.Frey*, 22: 206-225.
- , 1972 — Neue chinesische aus dem Museum Koenig in Bonn und einige neue *Holotrichia*-Arten (Col.Scarab.) - *Ent.Arb.Mus.Frey*, 23: 108-121.
- , 1972 — Neue Sericinen aus Indien und Indochina, sowie Abbildungen von Parameren bekannter Arten (Col.,Scarab.,Melolonthinae) - *Ent.Arb.Mus.Frey*, 23: 186-216.
- , 1973 — Neue orientalische Melolonthiden (Col.,Scarab.) - *Ent.Arb.Mus.Frey*, 24: 232-239.
- , 1975 — Ergebnisse der Buthan-Expedition 1972 des Naturhistorischen Museums in Basel - *Entomologica Basiliensis*, 1: 223-241.
- , 1975 — Neue africanische und indische Sericinen (Col. Melolonthidae) - *Ent.Arb.Mus.Frey*, 26: 181-187.
- , 1965 — Neue Sericinen aus dem Nordostlichen Himalaya (Col. Melolonth.) - *Ergebn.Forsch.Unternehmen Nepal Himalaya*, 2: 88-93.
- GRAVELY, 1915 — Habits of some indian Col. - *Rec.Ind.Mus.*, 11: 495-504.
- KHAN K.M. & GHAI S., 1978 — Notes on genus *Trichoserica* Reitter (Sericini: Melolonthinae: Scarabaeidae) and a new combinatio for *Serica* (*Ophthalmoserica*) *umbrinella* Brenske - *Indian Journal of Entomology*, 40, 2: 214.
- & —, 1980 — Notes on the genus *Hemiserica* Brenske (Sericini: Melolonthini: Scarabaeidae) with descriptions of two new species from India and key to species - *Bulletin of Entomology*, 21: 40-43.
- & —, 1980 — *Schizonycha impressa* a new species from India (Melolonthini: Melolonthinae: Scarabaeidae) *Bulletin of Entomology*, 21: 33-39.
- & —, 1980 — Taxonomic studies on the genus *Autoserica* Brenske (Sericini: Melolonthinae: Scarabaeidae), with descriptions of three new species from India and Pakistan, redescription of *Autoserica bimaculata* (Hope) and three new combinatio along with a key to species - *Bulletin of Entomology*, 21: 23-32.
- & —, 1982 — *Paracogynaecoserica*: a new sericine genus from India (Sericini: Melolonthinae: Scarabaeidae) *Bulletin of Entomology*, 23: 61-64.
- & —, 1982 — Taxonomic status of the genus *Holotrichia* Hope (Melolonthini: Melolonthinae: Scarabaeidae) with descriptions of five new species from India along with redescription of two poorly described species and a key to species - *Bulletin of Entomology*, 23: 28-45.

- KLEINE R., SPAETH F. & MOSER J., 1925 — Wissenschaftliche Ergebnisse der Bearbeitung der Coleopteren-Sammlungen von Franklin Muller (Beitrag. I) - *Ent.Mitt.Berlin*, 14: 52-58.
- MIGLIACCIO E. & SABATINELLI G., 1983 — Nota preliminare di una spedizione entomologica nel Nepal orientale: Coleoptera *Atti XII Congr.Naz.Ital.Entomol.*, Roma, 2: 63-67.
- MITTAL I.C., 1976 — A new species of *Maladera* Mulsant (Coleoptera: Scarabaeidae: Sericinae) from India - *N.Y.Ent.Soc.*, 134: 180-181.
- , 1988 — New species of Sericinae and Melolonthinae from India - *Reichenbachia*, 25: 157-160.
- MITTAL I.C. & PAJNI H.R., 1977 — New species belonging to Melolonthini (Coleoptera: Scarabaeidae: Melolonthinae) from India - *Entomon*, 2, 1: 85-88.
- MOSER J., 1908 — Verzeichnis der von H. Fruhstorfer in Tonkin Gesammelten Melolonthiden - *Ann.Soc.Ent.Belg.*, 52 325-343.
- , 1909 — Neue Arten der Melolonthiden-Gattungen *Holotrichia* und *Brahmina* - *Ann.Soc.Ent.Belg.*, 53: 468-478.
- , 1912 — Neue Hopliiden aus dem indo-malaysischen Gebiet *Deutsche Ent.Z.*, 305-325.
- , 1912 — Neue Arten der Melolonthiden-Gattungen *Holotrichia* und *Pentelia* - *Ann.Soc.Ent.Belg.*, 56: 420-449.
- , 1913 — Neue indische Melolonthiden - *Deutsche Ent. Z.*, 49-70.
- , 1913 — Beitrag zur Kenntnis der Melolonthiden. II - *Ann.Soc.Ent.Belg.*, 57: 331-345.
- , 1913 — Neue Arten der Melolonthiden-Gattung *Apogonia* - *Deutsch.Ent.Z.*, 415-440.
- , 1913 — Beitrag zur Kenntnis der Melolonthiden. I - *Deutsche Ent.Z.*, : 271-297.
- , 1914 — Beitrag zur Kenntnis der Melolonthiden. III - *Ann.Soc.Ent.Belg.*, 43: 48-72.
- , 1914 — Neue Melolonthiden-Arten aus der Sammlung des Herrn Dr.H.J.Veth (Haag) - *Notes Leyden Museum*, 36: 148-156.
- , 1915 — Beitrag zur Kenntnis der Melolonthiden (Col.). IV - *Deutsche Ent.Zeitschr.*, 113-151.
- , 1915 — Weitere neue *Serica*-Arten (Col.) - *Stett.Ent.Z.*, 76: 144-202.
- , 1916 — Beitrag zur Kenntnis der Melolonthiden (Col.). V - *Deutsche Ent.Zeitschr.*, 129-190.
- , 1917 — Beitrag zur Kenntnis der Melolonthiden. VI *Stett.Ent.Z.*, 78: 54-57.
- , 1918 — Neue Melolonthiden aus der Sammlung des D. Ent. Museums zu Berlin-Dahlem - *Stett.Ent.Z.*, 79: 209-247.
- , 1918 — Beitrag zur Kenntnis der Melolonthiden. VII - *Deutsch.Ent.Z.*, 293-356.
- , 1919 — Beitrag zur Kenntnis der Melolonthiden (Col.). X - *Stettiner Ent.Z.*, 80: 330-364.
- , 1920 — Beitrag zur Kenntnis der Melolonthiden. XI - *Stett.Ent.Z.*, 81: 3-28.
- , 1921 — Beitrag zur Kenntnis der Melolonthiden. XII - *Stett.Ent.Z.*, 82: 48-73.
- , 1926 — Beitrag zur Kenntnis der Melolonthiden (Col.) - *Stett.Ent.Z.*, 87: 198-208.
- NONFRIED A.F., 1895 — Coleoptera nova exotica - *Berl.Ent.Z.*, 40: 279-290.
- , 1893 — Beitrage zur käferfauna von Manipur (Vorderindien) - *Berl.Ent.Z.*, 38: 327-340.
- PETROVITZ R., 1970 — Scarabaeidae aus Indien un Nepal (Coleoptera) - *Zeitschr.der Arbeitsgemeinschaft Osterr.Entomologen*, 17-21.
- RTTSEMA C., 1898 — Note III. Three new species of the melolonthid genus *Apogonia* - *Notes Leyden Museum*, 20: 29-32.
- SABATINELLI G., 1983 — Una nuova *Neodontocnema* Atrow dell'Himalaya (Coleoptera, Scarabaeidae, Melolonthinae) - *Entomologica Basiliensia*, 8: 211-214.
- , 1983 — Revisione delle *Hoplia* himalayane (Coleoptera, Scarabaeidae) - *Entomologica Basiliensia*, 8: 165-210.
- SABATINELLI G. & MIGLIACCIO E., 1982 — Scarabaeidae floricoli raccolti nel Nepal orientale con descrizione di due nuove specie (Coleoptera) - *Boll.Soc.Ent.Ital.*, 114 (4-7): 103-112.
- SHARP D., 1903 — New species of Lamellicorn Coleoptera from the Nilgiri Hills - *Ann.Mag.n.Hist.*, 11: 467-473.
- TESAR Z., 1969 — Die *Hoplia*-Arten aus Nepal - *Acta Mus.Silesiae*, 18: 53-60.
- , 1971 — Revision der *Hoplia*-Arten aus dem Himalaya-Gebiet - *Acta Mus.Silesiae*, 20: 151-188.

ABSTRACT

A catalogous of the 357 species belonging to 48 genera of Scarabaeidae Melolonthidae know from Nepal, Sikkim, Darjeeling, Bhutan, Jammu & Kashmir, Himachal Pradesh, Punjab, Haryana, Delhi, Uttar Pradesh, Bihar, West Bengal, Bangladesh, Meghalaya, Assam, Nagaland and Manipur is given. For all species collecting records with relative bibliographic references are given. Figure number and the bibliographic reference is also reported for species whose aedoeagus feature in known. All the papers, published on the subject since 1900, are listed on bibliography.

RIASSUNTO

Catalogo degli Scarabaeoidea Melolonthidae dell'Himalaya e del Nord India (Macroductylini, Hoplitini, Diplotaxini, Melolonthini e Sericini) (Coleoptera)

Il catalogo prende in considerazione le 357 specie appartenenti a 48 generi di Scarabaeidae Melolonthidae conosciute ad oggi del Nepal, Sikkim, Darjeeling, Bhutan, Jammu & Kashmir, Himachal Pradesh, Punjab, Haryana, Delhi, Uttar Pradesh, Bihar, West Bengal, Bangladesh, Meghalaya, Assam, Nagaland e Manipur. Per tutte le specie sono indicate le località di cattura conosciute dalla letteratura, con le rispettive citazioni bibliografiche, ed i riferimenti delle figure degli edeagi pubblicate fino ad oggi. L'elenco bibliografico comprende tutti i lavori pubblicati sull'argomento dal 1900.

Author's address: c/o Istituto Superiore di Sanità, Lab. of Parasitology, viale Regina Elena 299, 00161 Rome (Italy).